

| Author(s) | Year | Title | Publication | URL |
|---|------|--|---|---|
| Abadie, E.I., Godinho, C.L. & Koike, R.M. | 2016 | A new species of <i>Brachysiderus</i> Waterhouse, 1881 from Goias state, Brazil (Coleoptera, Scarabaeidae, Dynastinae) | Lambillionea 116(3):232-235 | |
| Abdel-Dayem, M.S., Kondratieff, B.C., Fadl, H.H. & Al Dhafer, H.M. | 2016 | Dung Beetle (Coleoptera: Scarabaeidae) Abundance and Diversity at Nature Preserve Within Hyper-Arid Ecosystem of Arabian Peninsula | Annals of the Entomological Society of America 109(2):216-223 | https://academic.oup.com/aesa/article-pdf/109/2/216/6644742/sav154.pdf |
| Ahrens, D. & Fabrizi, S. | 2016 | A monograph of the Sericini of India (Coleoptera: Scarabaeidae) | Bonn zoological Bulletin 65(1-2):1-355 | http://www.zoologicalbulletin.de/BzB_Volumes/Volume_65_1/001_335_BzB65_1_Ahrens_D_%20Fabrzi_F.pdf |
| Ahrens, D., Fabrizi, S. & Rössner, E. | 2016 | A new species of <i>Maladera</i> from Jordan (Coleoptera: Scarabaeidae: Sericini) | Zoology in the Middle East 62(4):347-351 | |
| Ahrens, D., Fujisawa, T., Krammer, H.J., Eberle, J., Fabrizi, S. & Vogler, A.P. | 2016 | Rarity and Incomplete Sampling in DNA-Based Species Delimitation | Systematic Biology 65(3):478-494 | https://academic.oup.com/sysbio/article-pdf/65/3/478/24754814/syw002.pdf |
| Akamine, M. | 2016 | Size- and context-dependent nest-staying behaviour of males of the Japanese dung beetle, <i>Copris acutidens</i> (Coleoptera: Scarabaeidae) | European Journal of Entomology 113:207-211 | http://www.eje.cz/pdfs/eje/2016/01/25.pdf |
| Akamine, M. | 2016 | Dimorphism of both head and prothoracic horn morphologies in male <i>Copris acutidens</i> (Coleoptera: Scarabaeidae) | Entomological Science 19(1):82-85 | http://onlinelibrary.wiley.com/doi/10.1111/ens.12164/epdf |
| Alcock, J. | 2016 | The mating behavior of <i>Euphoria herbacea</i> (Olivier) (Coleoptera: Scarabaeidae) | The Coleopterists Bulletin 70(1):196-197 | |
| Ali, M.A.A., Nur Azura, A., Darya, H., Rita, M. & Azman, S. | 2016 | Records of four species of subfamily Melolonthinae Macleay, 1819 from Malaysia (Scarabaeidae: Coleoptera) | Journal of Entomology and Zoology Studies 4(5):1023-1033 | http://www.entomoljournal.com/archives/2016/vol4issue5/PartN/4-5-103-628.pdf |
| Alves-Oliveira, J.R., Mendes, D.M., Campos, D., Silva-Neto, A.M., Morais, J.W. & Grossi, P.C. | 2016 | First report of two species of scarab beetles (Coleoptera, Scarabaeidae) inside nests of <i>Azteca cf. chartifex</i> Forel (Hymenoptera, Formicidae) in Brazilian Amazonian Rainforest | Revista Brasileira de Entomologia 60(4):359-361 | http://www.scielo.br/pdf/rbent/v60n4/0085-5626-rbent-60-04-00359.pdf |
| Amraoui, S., Bouragba, N., Brague, A. & Lumaret, J.P. | 2016 | Dung beetles (Coleoptera: Scarabaeidae) between a natural forest and a reforested steppe (Djelfa, Algeria) | Turkish Journal of Forestry 17(Special issue):23-30 | http://dergipark.ulakbim.gov.tr/sduofd/article/download/5000186567/5000165532 |
| Androw, R.A. | 2016 | A New Species of <i>Phyllophaga</i> (Coleoptera: Scarabaeidae: Melolonthinae) from the Dominican Republic | Annals of Carnegie Museum 84(1):1-7 | |
| Arias-Buriticá, J.A. & Vaz-de-Mello, F.Z. | 2016 | Nuevos registros de la tribu Scarabatermitini (Coleoptera: Hybosoridae: Ceratocanthinae) para Colombia | Entomotropica 31(24):208-211 | http://saber.ucv.ve/ojs/index.php/rev_ent/article/view/11835/11513 |
| Arias-Buriticá, J.A. & Vaz-de-Mello, F.Z. | 2016 | Primer registro de <i>Stebnickiella zosterixys</i> Skelley, 2007 (Coleoptera: Scarabaeidae: Aphodiinae: Odontolochini) para Colombia | Entomotropica 31(28):234-236 | http://saber.ucv.ve/ojs/index.php/rev_ent/article/view/11836/11514 |
| Arriaga-Jiménez, A., Moctezuma, V., Rossini, M., Zunino, M. & Halffter, G. | 2016 | A new species of <i>Onthophagus</i> (Scarabaeidae: Scarabaeinae) from the Mexican Transition Zone, with remarks on its relationships and distribution | Zootaxa 4072(1):135-143 | https://www.mapress.com/jzt/article/download/zootaxa.4072.1.7/3983 |
| Aruchunnan, G., Hazmi, Y.F. & Wee, S.L. | 2016 | Dung beetles (Coleoptera: Scarabaeidae) from Tasik Chini Biosphere Reserve, Pahang | Serangga 21(1):147-159 | http://journalarticle.ukm.my/10979/1/16146-45763-1-PB.pdf |

| | | | | |
|--|------|--|--|---|
| Bai, M., Zhang, W., Ren, D., Shih, C. & Yang, X. | 2016 | Hybosorus ocampoi: the first hybosorid from the Cretaceous Myanmar amber (Coleoptera: Scarabaeoidea) | Organisms Diversity & Evolution 16(1):233-240 | |
| Ballerio, A. | 2016 | A first phylogenetic appraisal of two allied genera of Afrotropical Ceratocanthinae: Melanophilharmostes and Pseudopterorthochaetes (Coleoptera: Hybosoridae) | Fragmenta Entomologica 48(1):33-52 | http://www.fragmentaentomol.org/index.php/fragmenta/article/view/159/136 |
| Ballerio, A. & Grebennikov, V.V. | 2016 | Rolling into a ball: phylogeny of the Ceratocanthinae (Coleoptera: Hybosoridae) inferred from adult morphology and origin of a unique body enrollment coaptation in terrestrial arthropods | Arthropod Systematics & Phylogeny 74(1):23-52 | http://www.senckenberg.de/files/content/forschung/publikationen/arthropodsystematics/asp_74_1/02_asp_74_1_23-52.pdf |
| Ballerio, A. & Smith, A.B.T. | 2016 | "rolls up like Armadillo": Darwin's forgotten encounters with ceratocanthine beetles (Coleoptera: Hybosoridae) | Archives of Natural History 43(2):357-360 | |
| Barbosa, C.A.F. & Rodrigues, S.R. | 2016 | Comportamento de Cópula em Cyclocephala verticalis Burmeister (Coleoptera: Scarabaeidae) | EntomoBrasilis 9(3):158-162 | https://periodico.ebras.bio.br/ojs/index.php/ebras/article/download/ebrasilis.v9i3.581/395 |
| Barr, C.B. | 2016 | An unusual leafcutter ant/scarab beetle (Coleoptera: Scarabaeidae) interaction in Panama | The Coleopterists Bulletin 70(4):812-813 | |
| Bartolozzi, L. & Boucher, S. | 2016 | Lucanidae | Gomy Y., Lemagnen R. & Poussereau J. Les coléoptères de l'île de La Réunion :233-238 | |
| Bartolozzi, L. & Zilioli, M. | 2016 | Remarks on the genus Penichrolucanus Deyrolle, 1863 (Coleoptera: Scarabaeoidea: Lucanidae) | Onychium 12:123-128 | https://www.nuovogruppoentomologicotoscano.it/wp-content/uploads/2022/10/Bartolozzi_Zilioli_2016_Onychium12.pdf |
| Bartolozzi, L., Norbiato, M. & Cianferoni, F. | 2016 | A review of geographical distribution of the stag beetles in Mediterranean countries (Coleoptera: Lucanidae) | Fragmenta Entomologica 48(2):153-168 | https://rosa.uniroma1.it/rosa02/fragmenta_entomologica/article/view/182/185 |
| Beinhundner, G. | 2016 | Description of a two new species of Phonotaenia Kraatz from Democratic Republic of the Congo and from Tanzania (Coleoptera, Cetoniidae) | Entomologia Africana 21(1):21-24 | |
| Benyahia, Y., Brustel, H., El Antry, S., Courtin, O., Maatouf, N., Valladares, L. & Rohi, L. | 2016 | Preliminary list of Coleoptera heritage species of the Talassemtane National Park, Morocco | Journal of Insect Biodiversity 4(13):1-30 | https://www.mapress.com/j/jib/article/download/2016.4.13/14202 |
| Bezborodov, V.G. | 2016 | The genus Copris (Coleoptera, Scarabaeidae) in the Far East of Russia | Zoological Journal 95(6):692-698 | |
| Bezborodov, V.G. | 2016 | Lamellicorn beetles of the tribe Psammodiini Mulsant, 1842 (Coleoptera, Scarabaeidae: Aphodiinae) of the Russian Far East | Euroasian Entomological Journal 15(1):40-43 | http://kmkjournals.com/upload/PDF/EEJ/15/201615606.pdf |
| Bezborodov, V.G. | 2016 | Annotated catalogue of the lamellicorn beetles (Coleoptera, Scarabaeoidea) of the Far East of Russia | Amurian zoological journal 8(2):110-153 | https://azjournal.ru/index.php/azjournal/article/view/471/430 |
| Bezborodov, V.G. | 2016 | Lamellicorn beetles (Coleoptera, Scarabaeoidea) of the Bureinsky nature reserve, Khabarovskii Krai of Russia | Euroasian Entomological Journal 15(5):451-455 | http://kmkjournals.com/upload/PDF/EEJ/15/EJ15_5_451_455.pdf |
| Bezborodov, V.G. | 2016 | The distribution of Aphodius (Aganocrossus) urostigma Harold, 1862 (Coleoptera, Scarabaeidae: Aphodiinae) in Russia | Euroasian Entomological Journal 15(6):499-500 | http://kmkjournals.com/upload/PDF/EEJ/15/EJ15_6_499_500.pdf |

| | | | | |
|--|------|---|--|---|
| Bitar, A., Sánchez, J.J., Salcedo, E. & Castañeda-Nava, J. J. | 2016 | Sinopsis de las formas cromáticas de <i>Cotinis mutabilis</i> (Gory & Percheron, 1833) (Coleoptera, Cetoniidae, Cetoniinae, Gymnetini) | Acta Zoológica Mexicana, México(N.S.) 32(3):270-278 | http://www.scielo.org.mx/pdf/azm/v32n3/0065-1737-azm-32-03-00270.pdf |
| Blackburn, R. | 2016 | The lectotype of <i>Goliathus drurii</i> Westwood, 1837 (Coleoptera: Scarabaeidae: Cetoniinae) in the Macleay Museum, University of Sydney, Australia | Zootaxa 4161(1):141-145 | https://archive.org/download/zootaxa-4161-001-141/zootaxa-4161-001-141.pdf |
| Boilly, O. | 2016 | Description d'un nouveau <i>Neoathyreus</i> du Paraguay (Coleoptera, Scarabaeoidea, Geotrupidae) | Bulletin de la Société entomologique de France 121(1):47-49 | https://lasef.org/wp-content/uploads/BSEF/121-1/1868_Boilly.pdf |
| Boilly, O., Lapèze, J., Dalens, P.H., Giuglaris, J.L. & Touroult, J. | 2016 | Les Phanaeini de Guyane: liste commentée, clés et iconographie (Coleoptera, Scarabaeidae) | Acorep-France: Contribution à l'étude des Coléoptères de Guyane 10:86-97 | |
| Bordat, P. | 2016 | Le genre <i>Labarrus</i> Mulsant & Rey, 1870, dans la région afrotropicale (Coleoptera, Scarabaeoidea, Aphodiidae) | Catharsius. La Revue 13(1):19-40 | |
| Bordat, P. | 2016 | Trois nouvelles espèces d'Aphodiinae de Zambie (Coleoptera, Scarabaeoidea, Aphodiidae) | Catharsius. La Revue 13(2):1-7 | |
| Bordat, P. | 2016 | Aphodiidae | Gomy Y., Lemagnen R. & Poussereau J. Les coléoptères de l'île de La Réunion :240-249 | |
| Bordat, P. | 2016 | Deux nouveaux genres et deux nouvelles espèces d'Ethiopie (Coleoptera, Scarabaeoidea, Aphodiidae) | Entomologia Africana 21(1):28-36 | |
| Bordat, P., Dellacasa, G. & Dellacasa, M. | 2016 | Rectification d'une erreur d'orthographe : <i>Pseudoagoliinus</i> nec <i>Pseudagoliinus</i> (Coleoptera, Scarabaeoidea, Aphodiidae) | Catharsius. La Revue 13(1):18 | |
| Bordat, P., Dellacasa, M. & Dellacasa, G. | 2016 | À propos de quelques types d'Aphodius décrits par Balthasar (2e partie) (Coleoptera, Scarabaeoidea, Aphodiidae) | Catharsius. La Revue 13(1):29-39 | |
| Borowski, J., Byk, A. & Mokrzycki, T. | 2016 | Beetles (Coleoptera) of the Rogów region. Part IX – superfamily Scarabaeoidea: Bolboceratidae, Geotrupidae, Lucanidae, Trogidae and Scarabaeidae | World Scientific News 44:123-142 | http://psjd.icm.edu.pl/psjd/element/bwmeta1.element.psjd-b98865e7-c56d-4cf5-8e11-a6d62eb477d5/c/WSN_44__2016__123-142.pdf |
| Boucher, S. & Ramírez, R. | 2016 | A new blue-grey <i>Veturius</i> (Publius) Kaup of the northwestern Sierra de Talamanca, Costa Rica (Coleoptera: Passalidae) | Annales de la Société entomologique de France (N.S.) 52(4):192-195 | |
| Boucher, S. & Salazar, K. | 2016 | What is <i>Spasalus robustus</i> (Percheron, 1835)? (Coleoptera, Passalidae) | Bulletin de la Société entomologique de France 121(3):355-360 | https://lasef.org/wp-content/uploads/BSEF/121-3/1906_Boucher_&_Salazar.pdf |
| Boucher, S. & Salazar, K. | 2016 | A new <i>Veturius</i> (<i>Veturius</i>) of the "cephalotes" group from southern Colombia, Putumayo (Coleoptera: Passalidae) | Annales de la Société entomologique de France (N.S.) 52(4):204-208 | |
| Boucher, S., Bai, M., Wang, B., Zhang, W. & Yang, X. | 2016 | Passalopalpidae, a new family from the Cretaceous Burmese amber, as the possible sister group of Passalidae Leach (Coleoptera, Scarabaeoidea) | Cretaceous Research 64:67-78 | |
| Boucher, S., Vaz-de-Mello, F. & Aguiar, N.O. | 2016 | A remarkable new <i>Veturius</i> (<i>Veturius</i>) of the Brazilian Central Amazonas, with an inventory of the genus in Brazil (Coleoptera: Passalidae) | Annales de la Société entomologique de France (N.S.) 52(4):179-184 | |

| | | | | |
|--|------|--|---|---|
| Bousquet, Y. | 2016 | Litteratura Coleopterologica (1758–1900): a guide to selected books related to the taxonomy of Coleoptera with publication dates and notes | ZooKeys 583:1-776 | https://zookeys.pensoft.net/article/7084/download/pdf/283211 |
| Breeschoten, T., Doorenweerd, C., Tarasov, S. & Vogler, A.P. | 2016 | Phylogenetics and biogeography of the dung beetle genus <i>Onthophagus</i> inferred from mitochondrial genomes | Molecular Phylogenetics and Evolution 105:86-95 | |
| Brøndum, L. & Misser, J. | 2016 | <i>Anoxia orientalis</i> - førstegangsregistrering i Danmark (Coleoptera, Melolonthidae) | Entomologiske Meddelelser 84:105-109 | https://danbif.dk/formidlingsarkiv/links/litteratur/entomologiske-meddelelser/bind-84/br_ndum_l._j._misser__2016.pdf |
| Bunalski, M., Konwerski, S., Przewoźny, M., Ruta, R. & Wasala, R. | 2016 | A Contribution to the knowledge of beetles distribution in Western Poland. Part 10. Scarabaeidae, Aphodiinae: <i>Acrossus</i> , <i>Agoliinus</i> , <i>Agrilinus</i> , <i>Aphodius</i> | Wiadomości Entomologiczne 35(4):197-211 | |
| Bunalski, M., Przewoźny, M., Ruta, R. & Sienkiewicz, P. | 2016 | A Contribution to the knowledge of beetles distribution in Western Poland. Part 9. Scarabaeidae: Scarabaeinae | Wiadomości Entomologiczne 35(3):147-160 | |
| Bunalski, M., Samin, N. & Ghahari, H. | 2016 | A contribution to the faunistic study of Scarabaeoidea (Coleoptera) from Mazandaran Province, northern Iran | Wiadomości Entomologiczne 35(1):31-40 | |
| Buse, J., Görtz, M. & Ludewig, H.H. | 2016 | Aktuelle Funde von Blatthornkäfern aus dem Mainzer Sand und Umgebung (Coleoptera: Geotrupidae, Scarabaeidae et Aphodiidae) | Fauna und Flora in Rheinland-Pfalz 13(2):313-321 | https://www.zobodat.at/pdf/Fauna-Flora-Rheinland-Pfalz_13_0313-0321.pdf |
| Buse, J., Görtz, M., Ludewig, H.H. & Remmers, W. | 2016 | Eine Momentaufnahme der Käferfauna (Coleoptera) auf einer pferdebeweideten Weinbergsbrache bei Oberdiebach – Erstnachweis von <i>Aphodius satellitius</i> (Scarabaeidae) für das Rheinland | Fauna und Flora in Rheinland-Pfalz 13(2):323-330 | https://www.zobodat.at/pdf/Fauna-Flora-Rheinland-Pfalz_13_0323-0330.pdf |
| Buynova, I.G. | 2016 | Contribution to the fauna of lamellicorn beetles (Coleoptera; Scarabaeidae) of Volgograd Region | Studencheskiy elektronniy zhurnal StRIZH 3(7):4-8 | http://strizh-vspu.ru/d/6fa518ff1ff1d8d1bc57951c68140ab9/pdf |
| Byk, A. & Marczak, D. | 2016 | New Data on the Occurrence of Scarabaeoid Beetles (Coleoptera: Scarabaeoidea) in the Republic of Macedonia | Acta Zoologica Bulgarica 68(4):491-496 | http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2016/68-4-491-496.pdf |
| Byk, A., Gazurek, T., Borowski, Z., Bidas, M., Doktor, D., Matusiak, A., Minkina, L. & Plewa, R. | 2016 | Nowe stanowiska <i>Limarus maculatus</i> (Sturm, 1800) (Coleoptera: Scarabaeidae: Aphodiinae) w Polsce | Wiadomości Entomologiczne 35(4):241-242 | |
| Byk, A., Mokrzycki, T., Rosa-Gruszecka, A., Tylkowski, S. & Zamojski, M. | 2016 | Grzybolcowate (Bolboceratidae) i wygonakowate (Ochodaeidae) - aktywność, wymagania ekologiczne i metody obserwacji | Studia i Materiały Centrum Edukacji Przyrodniczo-Leśnej 18(4):124-141 | http://agro.icm.edu.pl/agro/element/bwmeta1.element.agro-95faa93d-f2e5-43f5-b550-35f5f7dd6161/c/Byk_i_inni.pdf |
| Cabrero-Sañudo, F.J., Blanco Villero, J.M. & López-Pérez, J.J. | 2016 | Catalogo de los Scarabaeoidea (Coleoptera) de la Provincia de Huelva (suroeste de Andalucía, España) II.Familia Geotrupidae | Boletín de la Sociedad Entomológica Aragonesa 58:181-187 | http://www.sea-socios.com/Boletines/PDF/Boletin58/181-187BSEA58.pdf |
| Camiade, D. | 2016 | <i>Badizoblax cervinus</i> espèce méconnue: statut, caractères du mâle et description de la femelle (Coleoptera, Cetoniidae) | Cetoniimania NS 9:3-9 | |
| Cao, Y., Webb, M.D., Bai, M. & Wan, X. | 2016 | New synonymies and records of the stag-beetle genus <i>Aegus</i> MacLeay from Chinese fauna (Coleoptera: Lucanidae) | Zoological Systematics 41(3):261-272 | http://www.zootax.com.cn/EN/volumn/volumn_1145.shtml# |
| Chaladze, G. | 2016 | Illustrated Checklist of Georgian Stag beetles (Coleoptera, Lucanidae) | Proceedings of the Institute of Zoology 25:43-45 | |

| | | | | |
|---|------|--|---|---|
| Cheklarov, E., Guéorguiev, B., Hristovski, S., Fancello, L., Cvetkovska-Gorgievska, A. & Prelik, D. | 2016 | New Country Records and Rare and Interesting Species of Coleoptera from the Balkan Peninsula | Acta zoologica Bulgarica 68(3):331-338 | http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2016/68-3-331-338.pdf |
| Cherman, M.A., Morón, M.A. & Almeida, L.M. | 2016 | Phylogenetic relationships within Diplotaxini Kirby (Coleoptera: Melolonthidae: Melolonthinae) with emphasis on Liogenys Guérin-Méneville | Systematic Entomology 41(4):744-770 | |
| Choi, W. | 2016 | Taxonomic notes of the genus Dorcus of Asia Part I. Dorcus curvidens group | Insect Korea 4:24-45 | |
| Coca-Abia, M.M. & Romero-Samper, J. | 2016 | Establishment of the identity of Costelytra zealandica (White 1846) (Coleoptera: Scarabaeidae: Melolonthinae) a species commonly known as the New Zealand grass grub | New Zealand Entomologist 39(2):129-146 | |
| Cupello, M. & Vaz-de-Mello, F. | 2016 | A new species and the phylogeny of the South American genus Gromphas Brullé, 1837 (Coleoptera: Scarabaeidae: Scarabaeinae: Phanaeini) | Journal of Natural History 51(15-16):943-969 | |
| Cupello, M. & Vaz-de-Mello, F. | 2016 | Sinopse das espécies de Eurysternus Dalman, 1824 (Coleoptera, Scarabaeidae, Scarabaeinae, Oniticellini) do Parque Nacional do Itatiaia, Sudeste do Brasil | Anais do III Simpósio de Entomologia do Rio de Janeiro :36-55 | |
| Cupello, M., Rossini, M. & Vaz-de-Mello, F.Z. | 2016 | On the type species of the South American dung beetle genus Chalcocopris Burmeister, 1846 (Coleoptera: Scarabaeidae: Scarabaeinae), with some comments on the type locality of C. hesperus (Olivier, 1789) | Zootaxa 4061(3):274-276 | |
| Daniel, G.M., Davis, A.L.V. & Scholtz, C.H. | 2016 | Three new Sisyphus species (Coleoptera: Scarabaeidae: Scarabaeinae) from shaded vegetation in southern Africa | Zootaxa 4147(1):67-74 | |
| De Palma, M. | 2016 | Systematic catalogue of Eudicella White | :1-22 | |
| Dellacasa, M. & Dellacasa, G. | 2016 | Systematic revision of the genus Phaeaphodius Reitter, 1892 (Coleoptera: Scarabaeidae: Aphodiinae) | Zootaxa 4162(1):143-163 | |
| Dellacasa, M., Dellacasa, G. & Gordon, R.D. | 2016 | Euotophorus imeldae new genus and new species of Mexican Aphodiini (Coleoptera: Scarabaeidae: Aphodiinae) | Insecta Mundi 0507:1-3 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0507_Dellacasa_et_al_2016.pdf |
| Dellacasa, M., Dellacasa, G. & Gordon, R.D. | 2016 | Oxyomoides, a new genus for three species of Scabrostomus Gordon and Skelley, 2007 in the southeastern United States (Coleoptera: Scarabaeidae: Aphodiinae) | Insecta Mundi 0517:1-6 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0517_Dellacasa_et_al_2016.pdf |
| Deloya, C., Ponce Saavedra, J., Reyes Castillo, P. & Aguirre León, G. | 2016 | Escarabajos del estado de Michoacán (Coleoptera: Scarabaeoidea) | Universidad Michoacana de San Nicolás de Hidalgo :1-210 | http://bios.biologia.umich.mx/2018/files/escarabajos_michoacan_mexico_libro.pdf |
| Desbordes, L. | 2016 | Les Cétonines du Yémen recoltées par Roger Naviaux (Coleoptera, Cetoniidae) | Arvernensis 73-74:3-12 | http://www.shnao.eu/IMG/pdf/arvernensis_73-74_pour_site.pdf |
| Deschodt, C.M., Davis, A.L.V. & Scholtz, C.H. | 2016 | A new monotypic genus, a species synonymy and nomenclatural corrections in the arid-adapted Canthonini (Scarabaeidae, Scarabaeinae) from the Succulent Karoo Biome of south-western Africa | Zootaxa 4147(4):490-500 | |
| Deschodt, C.M., Davis, A.L.V. & Scholtz, C.H. | 2016 | Three new species, a synonymy and taxonomic notes on southern African members of the dung beetle genera Scarabaeus s. str. Linnaeus, 1758 and Escarabaeus Zidek & Pokorný, 2011 (Scarabaeidae: Scarabaeinae) | Journal of Natural History 51(5):299-316 | |

| | | | | |
|---|------|---|--|---|
| Di Gennaro, C. | 2016 | Note sur les cétoines d'Ethiopie et description de nouvelles espèces et sous-espèce (Coleoptera, Cetoniidae) | Entomologia Africana 21(2):29-39 | |
| Duarte, P.R.M. & Grossi, P.C. | 2016 | Rediscovery of <i>Bothynus cribrarius</i> (Fairmaire) (Coleoptera, Melolonthidae, Dynastinae, Pentodontini): description of the male and precise location data | Revista Brasileira de Entomologia 60(4):290-292 | http://www.scielo.br/pdf/rbent/v60n4/0085-5626-rbent-60-04-00290.pdf |
| Dupuis, F. | 2016 | Mise au point taxonomique et systématique sur des <i>Hemiphileurus</i> Kolbe, 1910, des Grandes Antilles (Coleoptera, Dynastidae) | Coléoptères 22(3):19-29 | http://www.coleopteres.fr/Coleopteres22(3).pdf |
| Dupuis, F. | 2016 | <i>Tomarus maimon fossator</i> Burmeister, 1847, nouvelle sous-espèce du bouclier Guyanais (Coleoptera, Dynastidae) | Coléoptères 22(4):30-37 | http://www.coleopteres.fr/Coleopteres22(4).pdf |
| Dupuis, F. | 2016 | Contribution à la connaissance des Dynastidae de Guyane. Modifications nomenclaturales, signalements nouveaux et actualisation de la liste des espèces | Contribution à l'étude des Coléoptères de Guyane 10:101-111 | |
| Dupuis, F. & Bosia, U. | 2016 | Note synonymique (Coleoptera, Dynastidae, Cyclocephalini) | Contribution à l'étude des Coléoptères de Guyane 10:84-85 | |
| Dutrillaux, A. & Dutrillaux, B. | 2016 | Chromosome comparison of 17 species / subspecies of African Goliathini (Coleoptera, Scarabaeidae, Cetoniinae) | CompCytogen 10(2):269-282 | http://compcytogen.pensoft.net/articles.php?id=8003 |
| Dutrillaux, B. | 2016 | La génétique et la notion d'espèce chez les coléoptères (et les autres) | Le Coléoptériste 19(3):179-181 | |
| Eberle, J., Warnock, R.C.M. & Ahrens, D. | 2016 | Bayesian species delimitation in <i>Pleophylla</i> chafers (Coleoptera) – the importance of prior choice and morphology | BioMed Central Evolutionary Biology 16(94):1-16 | https://bmcevolbiol.biomedcentral.com/track/pdf/10.1186/s12862-016-0659-3?site=bmcevolbiol.biomedcentral.com |
| Egorov, L.V., Ruchin, A.B. & Semishin, G.B. | 2016 | Материалы к познанию колеоптерофауны Мордовского государственного природного заповедника. Сообщение 5 | [Contribution to the knowledge of fauna of beetles of Mordovskiy state natural reserve. Part 6]. Trudy Mordovskogo Gossudarstvennogo Prirodnogo Zapovednika Imeni P.G. Smidovicha 16:293-364 | http://cyberleninka.ru/article/n/novye-dannye-po-redkim-vidam-bespozvonochnyh-i-pozvonochnyh-zhivotnyh-mordovii.pdf |
| Eldred, T., Meloro, C., Scholtz, C., Murphy, D., Fincken, K. & Hayward, M. | 2016 | Does size matter for horny beetles? A geometric morphometric analysis of interspecific and intersexual size and shape variation in <i>Colophon haughtoni</i> Barnard, 1929, and <i>C. kawaii</i> Mizukami, 1997 (Coleoptera: Lucanidae) | Organisms Diversity & Evolution 16(4):821-833 | |
| Estrada-Alvarez, J.C., Balcazar-Quiñones, A.P., León-Solano, H.J. & Janczur, M.K. | 2016 | New host plant record for the adult of <i>Euphoria basalis</i> (Gory and Percheron, 1833) (Coleoptera: Scarabaeidae: Cetoniinae) from Hidalgo, Central-Eastern Mexico | The Coleopterists Bulletin 70(4):814-815 | |
| Figuerola, L. & Ratcliffe, B.C. | 2016 | A new species of <i>Ancognatha</i> Erichson (Coleoptera: Scarabaeidae: Dynastinae: Cyclocephalini) from Peru, with distributions of Peruvian <i>Ancognatha</i> species | The Coleopterists Bulletin 70(1):65-72 | |
| Filippini, V., Mico, E. & Galante, E. | 2016 | Checklist and identification key of Anomalini (Coleoptera, Scarabaeidae, Rutelinae) of Costa Rica | ZooKeys 621:63-136 | http://zookeys.pensoft.net/articles.php?id=7565 |
| Flutsch, G. | 2016 | Une nouvelle espèce de <i>Pygora</i> de Madagascar (Coleoptera, Cetoniidae, Cetoniinae) | Cetoniimania NS 9:49-51 | |

| | | | | |
|--|------|---|--|---|
| Flutsch, G. | 2016 | Catalogue illustré des cétoines malgaches VI (Coleoptera, Scarabaeoidea, Cetoniidae) | Cetoniimania NS 9:24-48 | |
| Forshage, M. & Krell, F. | 2016 | Two exotic dynastines collected in Sweden (Coleoptera: Scarabaeidae: Dynastinae) | Entomologisk Tidskrift 137(4):147-149 | http://www.sef.nu/download/entomologisk_tid_skrift/et_vol_137_2016/ET-2016-147-149.pdf |
| Franc, V. & Kvasnova, S. | 2016 | Remarkable records of Scarabaeoidea (Coleoptera) near the town of Banská Bystrica (Slovakia) | Naturae Tutela 20(2):131-138 | https://www.smpoj.sk/sk/documentloader.php?id=326&filename=nt20_2.pdf |
| Franca, F.M., Korasaki, V., Louzada, J. & Vaz-de-Mello, F.Z. | 2016 | First report on dung beetles in intra-Amazonian savannahs in Roraima, Brazil | Biota Neotropica 16(1):e0034:1-8 | http://www.biotaneotropica.org.br/v16n1/en/fullpaper?bn00716012016+en |
| Frolov, A.V. & Akhmetova, L.A. | 2016 | Revision of the subgenus Orphnus (Phornus) (Coleoptera, Scarabaeidae, Orphninae) | European Journal of Taxonomy 241:1-20 | http://www.europeanjournaloftaxonomy.eu/index.php/ejt/article/download/365/749 |
| Frolov, A.V., Montreuil, O. & Akhmetova, L.A. | 2016 | Review of the Madagascan Orphninae (Coleoptera: Scarabaeidae) with a revision of the genus Triodontus Westwood | Zootaxa 4207(1):1-93 | http://www.scarabaeoidea.com/files/pdf/review-madagascan-orphninae.pdf |
| Gabdullina, A.U. | 2016 | The beetles fauna (Insecta, Coleoptera) of Katon-Karagay state National Park (South-western Altay, East Kazakhstan) | Acta Biologica Sibirica 2(1):41-91 (61-64) | http://journal.asu.ru/index.php/biol/article/download/1220/894 |
| Gajendra, N. & Prasad, S.K. | 2016 | A Review of Coleoptera Diversity of Chhattisgarh: Updated Checklist 2015 | International Journal of Science and Research 5(4):710-714 | https://www.ijsr.net/archive/v5i4/NOV162650.pdf |
| Gámez, J. & Acconcia, R. | 2016 | Primer registro de Coprophanaeus (Coprophanaeus) corythus (Harold, 1863) (Coleoptera: Scarabaeidae: Scarabaeinae: Phanaeini) para los estados de Zulia, Falcón y Carabobo (Venezuela) | Arquivos Entomolóxicos 16:57-60 | http://www.aegaweb.com/arquivos_entomoloxicos/ae16_2016_gamez_acconcia_primer_registro_coprophanaeus_corythus_scarabaeidae_estados_venezuela.pdf |
| García, A.M. | 2016 | Los lucánidos (Coleoptera, Lucanidae) de la provincia de Málaga, sur de España | Boletín de la Sociedad Andaluza de Entomología 26:1-11 | https://dialnet.unirioja.es/descarga/articulo/6042838.pdf |
| García, L.E., Morae, R.M. & Vianna, E.E.S. | 2016 | Levantamento de besouros copro-necrófagos (Coleoptera: Scarabaeidae: Scarabaeinae) do Bioma Pampa | Revista de Ciências Agroveterinárias 15(2):144-154 | https://www.revistas.udesc.br/index.php/agroveterinaria/article/view/223811711522016144/pdf_33 |
| García, R., Garcia, J. & Sicilia, P. | 2016 | Nuevas aportaciones al elenco de coleópteros (Insecta: Coleoptera) de Canarias | Revista de la Academia Canaria de Ciencias 28:79-88 | https://www.biodiversitylibrary.org/item/260092#page/81/mode/1up |
| Gasca Alvarez, H.J. & Deloya, C. | 2016 | Description of the female of Cyclocephala monacha Ratcliffe, 2008 (Coleoptera: Scarabaeidae: Dynastinae: Cyclocephalini), with a checklist of Cyclocephala Dejean species occurring in Colombia | The Coleopterists Bulletin 70(3):645-653 | |
| Génier, F. & Arnaud, P. | 2016 | Dendropaemon Perty, 1830: taxonomy, systematics and phylogeny of the morphologically most derived phanaeine genus (Coleoptera: Scarabaeidae, Scarabaeinae, Phanaeini) | Zootaxa 4099(1):1-125 | http://biotaxa.org/Zootaxa/article/download/zootaxa.4099.1.1/19940 |
| Génier, F. & Josso, J.F. | 2016 | Notes on Afrotropical Catharsius species described by Edgar von Harold (Coleoptera: Scarabaeidae, Scarabaeinae) | Zootaxa 4072(3):333-342 | https://archive.org/download/zootaxa-4072-003-333/zootaxa-4072-003-333.pdf |
| Ghosh, J. & Bhunia, D. | 2016 | Scarab beetles (Coleoptera: Scarabaeidae) from Salt Lake City, Kolkata, West Bengal | Journal of Entomology and Zoology Studies 4(1):269-273 | http://www.entomoljournal.com/archives/2016/vol4issue1/PartD/3-6-106.pdf |

| | | | | |
|--|------|---|--|---|
| Godwin, W. | 2016 | A new species <i>Aphodius geomynidomus</i> n. sp. (Coleoptera: Scarabaeidae: Aphodiinae) from burrows of the pocket gopher, <i>Geomys arenarius</i> Merriam 1895 (Mammalia: Rodentia: Geomyidae) in El Paso, Texas | Journal of Entomology and Zoology Studies 4(3):16-18 | http://www.entomoljournal.com/archives/2016/vol4issue3/PartA/3-4-36.pdf |
| González-Vainer, P., Cantil, L.F. & Morelli, E. | 2016 | <i>Ontherus sulcator</i> Fabricius, 1775 (Coleoptera: Scarabaeidae: Scarabaeinae): Descriptions of the Third Instar and Pupa | The Coleopterists Bulletin 70(2):355-360 | |
| Grossi, P.C. | 2016 | A new brachypterous genus of Brazilian stag beetle (Coleoptera: Lucanidae: Lucaninae) with description of three new species | Zootaxa 4078(1):218-229 | |
| Grossi, P.C., Santos, M.D. & Almeida, L.M. | 2016 | Two new species of <i>Cyclocephala</i> (Coleoptera: Scarabaeoidea: Melolonthidae) from Minas Gerais State, Brazil | Zootaxa 4078(1):245-251 | |
| Gupta, D. & Chandra, K. | 2016 | <i>Bolboceras bilaspuricans</i> (Coleoptera: Geotrupidae: Bolboceratinae) a new species from Chhattisgarh, India | Zootaxa 4103(3):295–300 | |
| Gupta, D. & Chandra, K. | 2016 | <i>Bolboceras darjeelicans</i> sp. nov. (Coleoptera: Geotrupidae: Bolboceratinae) from Darjeeling, West Bengal, India with a key to its relatives | Journal of Asia-Pacific Entomology 19(3):671-676 | |
| Gupta, D., Chandra, K. & Hillert, O. | 2016 | <i>Odontotrupes</i> (<i>Odontotrupes</i>) <i>tawangensis</i> new species (Coleoptera: Geotrupidae) from Arunachal Pradesh, India | Zootaxa 4154(5):559-566 | |
| Gusakov, A.A. & Legezin, O.G. | 2016 | A new scarab species, <i>Podalgus nazarovi</i> (Coleoptera: Scarabaeidae: Dynastinae: Pentodontini) from the sands of South-Western Iran | Humanity space. International almanac 5(2):160-166 | http://www.zin.ru/Animalia/coleoptera/pdf/humanit_space_2016_5-2_pp_160-166.pdf |
| Hamet, A. & Vancl, Z. | 2016 | Catalogue of the beetles (Coleoptera) of the Broumovsko protected landscape area Second completed and corrected edition | Elateridarium 10 (Supplementum):1-137 | http://www.elateridae.com/clanky/hamet-vancl_katalog-brouku-broumovska_1_3_2016.pdf |
| Han, T.M., Kim, J.I., Yi, D.A., Jeong, J., An, S.L., Park, I.G. & Park, H. | 2016 | An integrative taxonomy on the locally endangered species of the Korean <i>Scarabaeus</i> (Coleoptera, Scarabaeidae) | Zootaxa 4139(4):515-526 | |
| Hannig, K. & Kerkering, C. | 2016 | <i>Aphodius</i> (<i>Sigorus</i>) <i>porcus</i> (Fabricius, 1792) - Wiederfund für Westfalen (Coleoptera: Scarabaeidae) | Natur und Heimat 76(1):45-46 | https://www.zobodat.at/pdf/Natur-und-Heimat_76_0045-0046.pdf |
| Hannig, K. & Kerkering, C. | 2016 | Zur Verbreitung, Biologie und Bestandsentwicklung von <i>Onthophagus</i> (<i>Palaeonthophagus</i>) <i>medius</i> (Kugelann, 1792) und <i>O.</i> (<i>P.</i>) <i>vacca</i> (Linnaeus, 1767) in Nordrhein-Westfalen (Coleoptera: Scarabaeidae) | Natur und Heimat 76(1):21-42 | https://www.zobodat.at/pdf/Natur-und-Heimat_76_0021-0042.pdf |
| Hannig, K., Drewenskus, J. & Kerkering, C. | 2016 | Die Dungkäferfauna (Coleoptera: Scarabaeoidea) eines Emsweide-Komplexes bei Saerbeck (Kreis Steinfurt, Nordrhein-Westfalen) | Abhandlungen aus dem Westfälischen Museum für Naturkunde 82:3-59 | https://www.zobodat.at/pdf/Abh-Westf-Mus-Naturkde_82_2016_0003-0059.pdf |
| Hannig, K., Kerkering, C. & Rehage, H.O. | 2016 | <i>Aphodius</i> (<i>Liothorax</i>) <i>niger</i> Illiger, 1798 in Nordrhein-Westfalen (Coleoptera: Scarabaeidae) | Natur und Heimat 76(1):54-56 | https://www.zobodat.at/pdf/Natur-und-Heimat_76_0054-0056.pdf |
| Hardy, M. & Dupuis, F. | 2016 | Description d'une nouvelle espèce d' <i>Hemiphileurus</i> Kolbe, 1910, du Pérou (Coleoptera, Dynastidae) | Coléoptères 22(2):13-18 | http://www.coleopteres.fr/Coleopteres22(2).pdf |
| Harrison, J. du G. & Wingfield, M.J. | 2016 | A taxonomic review of white grubs and leaf chafers (Coleoptera: Scarabaeidae: Melolonthinae) recorded from forestry and agricultural crops in Sub-Saharan Africa | Bulletin of Entomological Research 106(2):141-153 | |

| | | | | |
|--|------|---|--|---|
| Hawkeswood, T.J. & Sommung, B. | 2016 | The Coconut Rhinoceros Beetle, <i>Oryctes rhinoceros</i> (L., 1758) (Coleoptera: Scarabaeidae: Dynastinae) in Lat Krabang Park, Bangkok, Thailand with notes on its biology and a new larval host plant | Calodema 422:1-5 | |
| Hernández-Cruz, J., Morón, M.A., Sánchez-García, J.A., Martínez-Martínez, L., Jarquín-López, R. & Cerqueda-Reyes, H. | 2016 | Listado de especies del género <i>Phyllophaga</i> Harris 1827 (Coleoptera: Melolonthidae, Melolonthinae) en el estado de Oaxaca | Entomología Mexicana 3:924–929 | http://acaentmex.org/entomologia/revista/2016/SM/Em%20924-929.pdf |
| Hernández-López, N., Delgado, L. & Burgos-Solorio, A. | 2016 | Description of the Female of <i>Ischnoscelis hoepfneri</i> (Gory and Percheron) (Coleoptera: Scarabaeidae: Cetoniinae), Notes on the Species Behavior, and a Key to the Species of the Genus | The Coleopterists Bulletin 70(2):387-390 | |
| Hillert, O., Arnone, M., Král, D. & Massa, B. | 2016 | The genus <i>Bolbelasmus</i> in the western and southern regions of the Mediterranean Basin (Coleoptera: Geotrupidae: Bolboceratinae) | Acta entomologica Musei nationalis Pragae 56(1):211-254 | http://www.aemnp.eu/PDF/56_1/56_1_211.pdf |
| Hosoya, T. | 2016 | Notes on the establishment of an exotic dung beetle, <i>Ataenius picinus</i> Harold (Coleoptera, Scarabaeidae, Aphodiinae) and dung beetle fauna of Takarajima Island, the Tokara Islands, the Ryukyu Archipelago, Japan, in October 2015 | Kogane, Tokyo 18:89-93 | |
| Huang, H. & Chen, C.C. | 2016 | Two new species of stag beetles (Coleoptera: Lucanidae) from western Yunnan, China | Insecta Mundi 0516:1-8 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0516_HuangandChen_2016.pdf |
| Huang, H. & Chen, C.C. | 2016 | <i>Motuotrichius yangi</i> , a new genus and species from southeastern Tibet, China (Coleoptera: Scarabaeidae: Cetoniinae: Trichiini) | Zootaxa 4205(4):365-375 | |
| Huang, H. & Chen, C.C. | 2016 | Two new species of stag beetles (Coleoptera: Lucanidae: Lucaninae) from Taiwan, China | Beetles World 14:2-6 | http://frankfiedler.com/wp-content/uploads/Beetles_World_14_bwdsao2q0sad03soa.pdf |
| Huang, J.P. & Knowles, L.L. | 2016 | The species versus subspecies conundrum: quantitative delimitation from integrating multiple data types within a single Bayesian approach in Hercules beetles | Systematic Biology 65(4):685–699 | https://academic.oup.com/sysbio/article-pdf/65/4/685/18138005/syv119.pdf |
| Huchet, J.B. | 2016 | Un nouveau genre et une nouvelle espèce d'Ochodaecidae pour la faune d'Europe (Coleoptera, Scarabaeoidea) | Coléoptères 22(5):38-53 | http://www.coleopteres.fr/Coleopteres22(5).pdf |
| Huchet, J.B. | 2016 | Hybosoridae | Gomy Y., Lemagnen R. & Poussereau J. Les coléoptères de l'île de La Réunion :238-239 | |
| Jákl, S. | 2016 | Two new species of <i>Ischiopsopha</i> (s. str.) Gestro, 1874 from tiny, isolated islands of eastern part of Indonesia (Coleoptera, Scarabaeidae, Cetoniinae) | Studies and Reports. Taxonomical Series 12(1):99-108 | http://wwwold.fld.czu.cz/studiesandreports/pdf/2016-1/authors/99-108_jakl.pdf |
| Jákl, S. | 2016 | <i>Philistina</i> (Demba subgen. nov.) <i>arunachalensis</i> sp. nov. of the genus <i>Philistina</i> MacLeay, 1838 in tribe Phaedimini (Coleoptera, Scarabaeidae, Cetoniinae) | Studies and Reports. Taxonomical Series 12(2):387-394 | http://wwwold.fld.czu.cz/studiesandreports/pdf/2016-2/authors/387-394_jakl.pdf |
| Jákl, S. | 2016 | A contribution to knowledge of the genus <i>Glyptothea</i> Bates, 1889 with description of a new species (Coleoptera: Scarabaeoidea: Cetoniinae: Taenioderini: Chalcotheina) | Folia Heyrovskyana, series A 24(1):29-40 | http://foliaseriesa.cz/pdf/2016-1/Jakl%2029-40.pdf |
| Jákl, S. | 2016 | A contribution to knowledge of the genus <i>Pseudochalcotheomima</i> Mikšič, 1985 with description of a new species (Coleoptera: Scarabaeoidea: Cetoniinae: Taenioderini: Chalcotheina) | Folia Heyrovskyana, series A 24(2):10-20 | http://foliaseriesa.cz/pdf/2016-2/Jakl%2010-20.pdf |
| Jákl, S. & Zidek, J. | 2016 | Review of the oryctoderine genus <i>Onychionyx</i> Arrow, with description of a new species from the Moluccas (Coleoptera: Scarabaeidae: Dynastinae) | Studies and Reports. Taxonomical Series 12(1):109-116 | http://wwwold.fld.czu.cz/studiesandreports/pdf/2016-1/authors/109-116_jakl_zidek.pdf |

| | | | | |
|--|------|---|---|---|
| Januš, J. | 2016 | Brouci (Coleoptera) chráněné krajinné oblasti a biosférické rezervace Křivoklátsko | Západočeské entomologické listy. Supplementum 1:1-449 | https://entolisty.cz/wp-content/uploads/2021/07/Suppl-1-Janus.pdf |
| Jiménez-Ferbans, L., González, D. & Reyes-Castillo, P. | 2016 | Phylogeny and species delimitation in the group Rhodocanthopus of the genus Passalus (Coleoptera: Passalidae) inferred from morphological and molecular data, with description of two new species | Arthropod Systematics & Phylogeny 74(3):255-266 | http://www.senckenberg.de/files/content/forschung/publikationen/arthropodsystematics/asp_74_3/03_asp_74_3_jimenez_255-266.pdf |
| Jiménez-Ferbans, L., Reyes-Castillo, P. & Fonseca, C.R.V. | 2016 | Passipassalus brevicornis n.sp.: a new Passalidae (Coleoptera) from Brazilian Amazonian, with a key to the species of Passipassalus Reyes-Castillo & Fonseca | Neotropical Entomology 45(3):288-290 | |
| Jiménez-Ferbans, L., Reyes-Castillo, P., Schuster, J. & Upegui-Vélez, C. | 2016 | Passalus coarctatus Percheron, 1835 (Coleoptera: Passalidae): redescription and new distributional records | Acta Zoológica Mexicana (n. s.) 32(2):168-173 | http://www1.inecol.edu.mx/azm/2016/3/azm32-2-05-Jimenez-et-al-.pdf |
| Josso, J.F. & Prévost, P. | 2016 | Description d'une nouvelle espèce de Copris Geoffroy, 1762, de Zambie, appartenant au « groupe fidius » (Coleoptera, Scarabaeidae, Coprini) | Catharsius. La Revue 13(2):24-28 | |
| Juárez, G.N. & González, U.C. | 2016 | Coleópteros (Insecta: Coleoptera) del bosque de Neblina de Cuyas, Ayabaca-Región, Piura, Perú | The Biologist 14(2):199-217 | http://sisbib.unmsm.edu.pe/bvrevistas/biologist/v14_n2/pdf/a04v14n2.pdf |
| Kalashian, M.Y. & Ghrejyan, T.L. | 2016 | On the availability of some names proposed by E. Reitter in Protaetia (Potosia) cuprea Fabricius, 1775 species-group (Coleoptera: Scarabaeidae: Cetoniinae) | Caucasian Entomological Bulletin 12(2):245-246 | http://www.ssc-ras.ru/ckfinder/userfiles/files/7_MYu%20Kalashian_TL%20Ghrejyan.pdf |
| Kalashian, M.Y., Kredjyan, T.L. & Shokhin, I.V. | 2016 | On the records of Holochelus (Miltotrogus) brenskei (Rietter, 1888) (Coleoptera, Scarabaeidae, Melolonthinae) from Armenia | Science in the South of Russia 12(4):100-102 | https://www.ssc-ras.ru/ckfinder/userfiles/files/100-102_Kalashian%20et%20al_NYuR_4_2016.pdf |
| Karimbunkara, S.N. & Priyadarsanan, D.R. | 2016 | Report of dung beetles (Scarabaeidae: Scarabaeinae) attracted to unconventional resources, with the description of three new species | Entomon 41(4):265-282 | |
| Karolyi, F., Hansal, T., Krenn, H.W. & Colville, J.F. | 2016 | Comparative morphology of the mouthparts of the megadiverse South African monkey beetles (Scarabaeidae: Hopliini): feeding adaptations and guild structure | PeerJ 4(e1597):1-22 | https://peerj.com/articles/1597.pdf |
| Khobrakova, L.T., Rudykh, S.G. & Maladaev, A.A. | 2016 | A new record of Oryctes nasicornis L. (Coleoptera, Scarabaeidae, Dynastinae) from Buryatia, Russia | Euroasian Entomological Journal 15(5):450 | http://kmkjournals.com/upload/PDF/EEJ/15/EEJ15_5_450.pdf |
| Kim, M.J., Jeong, S.Y., Jeong, J., Kim, S. & Kim, I. | 2016 | Complete mitochondrial genome of the endangered flower chafer Osmoderma opicum (Coleoptera: Scarabaeidae) | Mitochondrial DNA Part B 1(1):148-149 | https://www.tandfonline.com/doi/pdf/10.1080/23802359.2016.1144104 |
| Kobayashi, H. | 2016 | Three new species of the genus Apogonia (Coleoptera, Scarabaeidae, Melolonthinae) from China | Kogane, Tokyo 18:27-33 | |
| Kobayashi, H. | 2016 | Notes on the genus Ectinohoplia (Coleoptera, Scarabaeidae, Melolonthinae) from Taiwan | Kogane, Tokyo 18:34-40 | |
| Kobayashi, H. | 2016 | A new species of the genus Maladera (Coleoptera, Scarabaeidae, Sericinae) from Iriomote-jima Is., Okinawa, Japan | Kogane, Tokyo 18:41-44 | |
| Kobayashi, H. | 2016 | A new species of the genus Maladera (Coleoptera, Scarabaeidae, Sericinae) from Taiwan | Kogane, Tokyo 18:45-47 | |

| | | | | |
|-----------------------------------|------|---|--|---|
| Kobayashi, H. & Fujioka, M. | 2016 | Two new species of Polyphylla (Granida) (Coleoptera, Scarabaeidae, Melolonthinae) from Vietnam | Kogane, Tokyo 18:15-26 | |
| Kobayashi, H. & Sasaki, N. | 2016 | On the genus Callynomes (Coleoptera, Scarabaeidae, Cetoniinae) from the Philippines and Sulawesi Is. | Kogane, Tokyo 18:49-66 | |
| Kon, M., Araya, K. & Johki, Y. | 2016 | Re-evaluation of the taxonomic status of Leptaulax niae Kuwert (Coleoptera, Passalidae) | Kogane, Tokyo 18:76-78 | |
| Krajčik, M. | 2016 | Addenda to checklist of the world Scarabaeoidea 2012. Part IV. List of taxa of Cetoniinae, Trichiinae and Valginae published in 2000-2002 | Animma.X 70:1-24 | |
| Krajčik, M. | 2016 | Addenda to checklist of world Scarabaeoidea. Pars V. New synonyms and a new valid name in Cetoniinae (Coleoptera) | Animma.X 72:1-7 | |
| Král, D. | 2016 | Phelotrupes (Sinogeotrupes) annamiticus sp.nov. (Coleoptera: Geotrupidae) from Central Vietnam | Folia Heyrovskyana, series A 24(2):21-24 | http://foliaseriesa.cz/pdf/2016-2/Král%2021-24.pdf |
| Král, D., Rakovič, M. & Mencl, L. | 2016 | Orammoecius, a new genus for four new Asian species of the tribe Aphodiini (Coleoptera: Scarabaeidae: Aphodiinae: Aphodiini) | Studies and Reports Taxonomical Series 12(1):117-137 | http://wwwold.fld.czu.cz/studiesandreports/pdf/2016-1/authors/117-138_kral.pdf |
| Král, D., Rakovič, M. & Mencl, L. | 2016 | Pleuraphodius arabiaefelicis sp. nov. from Yemen (Coleoptera: Scarabaeidae: Aphodiinae: Aphodiini) | Studies and Reports Taxonomical Series 12(2):395-402 | http://wwwold.fld.czu.cz/studiesandreports/pdf/2016-2/authors/395-402_kral.pdf |
| Krell, F. & Breidenbaugh, M. | 2016 | The Mango Flower Beetle, <i>Protaetia fusca</i> (Herbst), on Wake Island, Western Pacific Ocean (Coleoptera: Scarabaeidae: Cetoniinae) - an Accomplished Island Invasive | Proceedings of the Hawaiian Entomological Society 48:9-13 | https://scholarspace.manoa.hawaii.edu/bitstream/10125/42741/1/PHES48_9-13.pdf |
| Krikken, J. | 2016 | First records of the cremastocheiline genus <i>Clinterocera</i> Motschulsky, 1858 from the Indonesian island of Sulawesi, with description of a new species (Coleoptera: Scarabaeidae: Cetoniinae) | Zootaxa 4170(2):393-400 | |
| Kumar, P.V. & Sreedevi, K. | 2016 | New record of scarab species, <i>Adoretus testaceus</i> (Hope) (Coleoptera: Scarabaeidae: Rutelinae) from Rajasthan, India | Current Biotica 10(3):208-213 | http://www.currentbiotica.com/CB/Journals10-Issue-III/CB-10(3)-Full-length-2.pdf |
| Kusui, Y. | 2016 | Distributional notes of Scarabaeoidea from the Islets belonging to the Ryukyu Archipelago. VI. Records from Minnajima Is. (Tarama) in 2015 | Kogane, Tokyo 18:67-72 | |
| La Rue, D.A. | 2016 | Natural history, ecology, and conservation of the genus <i>Polyphylla</i> Harris, 1841. 1. New species from the southwestern United States and Baja California, Mexico, with notes on distribution and synonymy (Coleoptera: Scarabaeidae: Melolonthinae) | Insecta Mundi 0491:1-41 | https://journals.flvc.org/mundi/article/download/0491/84848/ |
| Lacroix, M. | 2016 | Pleurosticti Melolonthidae, Sericidae, Hopliidae, Rutelidae, Dynastidae, Cetoniidae | Gomy Y., Lemagnen R. & Poussereau J. Les coléoptères de l'île de La Réunion :252-270 | |
| Lacroix, M. & Montreuil, O. | 2016 | Révision du genre <i>Neoclitopa</i> Lacroix, 1997, et description d'une nouvelle espèce (Coleoptera, Melolonthidae) | Coléoptères 22(8):70-85 | http://www.coleopteres.fr/Coleopteres22(8).pdf |
| Lacroix, M. & Montreuil, O. | 2016 | Scarabaeidae | Gomy Y., Lemagnen R. & Poussereau J. Les coléoptères de l'île de La Réunion :249-252 | |

| | | | | |
|---|------|---|--|---|
| Lago, P.K. & Freese, E.L. | 2016 | A New Species of <i>Aegialia</i> Latreille (Coleoptera: Scarabaeidae: Aphodiinae) from Southeastern Iowa, USA | The Coleopterists Bulletin 70(2):341-346 | |
| Legrand, J.P. & Flutsch, G. | 2016 | Une nouvelle espèce de <i>Reineria</i> Miksic 1968, sous-genre <i>Euglyptica</i> Arnaud, 2004, de Mindanao, Philippines (Coleoptera, Scarabaeoidea, Cetoniidae, Cetoniinae) | Cetoniimania 9:79-81 | |
| Levet, B. | 2016 | Lucanidae de Chine, Province de Guizhou (Coleoptera: Scarabaeoidea: Lucanidae) | Le Coléoptériste 19(1):22-27 | |
| Levet, B. | 2016 | Lucanidés collectés en Biélorussie (Voblast de Brest) (Coleoptera, Lucanidae) | Le Coléoptériste 19(2):95-96 | |
| Li, C.L., Yang, P.S. & Wang, C.C. | 2016 | Two new species of <i>Megistophylla</i> Burmeister (Coleoptera: Scarabaeidae: Melolonthinae) from Taiwan, with notes on the genus | Zootaxa 4126(2):240-250 | |
| Li, J. | 2016 | Checklist Distribution of Genus <i>Copris</i> Georroy 1762 (Coleoptera, Scarabaeidae) | Coleopterorum Study of China 3:2-14 | |
| Li, J. | 2016 | A new species genus <i>Xylotrupes</i> Hope 187 from North Laos (Coleoptera, Dynastidae) | Coleopterorum Study of China 3:15-19 | |
| Li, S., Ricchiardi, E., Bai, M. & Yang, X. | 2016 | A taxonomy review of <i>Oreoderus</i> Burmeister, 1842 from China with a geometric morphometric evaluation (Coleoptera, Scarabaeidae, Valgini) | ZooKeys 552:67-89 | http://zookeys.pensoft.net/articles.php?id=6096 |
| Limbourg, P. | 2016 | Contribution to the knowledge of Afrotropical Rutelinae IV (Coleoptera, Scarabaeoidea, Melolonthidae) | Belgian Journal of Entomology 38:1-42 | http://www.srbe-kbve.be/cm/sites/default/files/publications/BJE/bje_38_2016_Limbourg.pdf |
| Liu, W., Fabrizi, S., Bai, M. & Ahrens, D. | 2016 | A taxonomic revision of the <i>Neoserica</i> (sensu lato): the species groups <i>N. lubrica</i> , <i>N. obscura</i> , and <i>N. silvestris</i> (Coleoptera, Scarabaeidae, Sericini) | ZooKeys 635:123-160 | http://zookeys.pensoft.net/articles.php?id=9915 |
| Löbl, I. & Löbl, D. | 2016 | Catalogue of Palaearctic Coleoptera Vol. 3. Revised and Updated Edition | Brill Leiden :1-983 (1-412) | |
| López-Colón, J.I. & Bahillo De la Puebla, P. | 2016 | Un nuevo geotrupido ibérico, <i>Bolbelasmus casanovaorum</i> n. sp. (Coleoptera: Geotrupidae) | Arquivos Entomológicos 16:269-273 | http://www.aegaweb.com/arquivos_entomologicos/ae16_2016_lopez_colon_bahillo_nueva_especie_iberica_bolbelasmus_casanovaorum_coleoptera_geotrupidae.pdf |
| López-García, M.M., Deloya, C. & Gasca-Alvarez, H.J. | 2016 | Rediscovery of <i>Tomarus cuniculus</i> (Fabricius, 1801) (Coleoptera: Scarabaeidae: Dynastinae) in Mexico | Annales de la Société entomologique de France (N.S.) 51(5-6):494-498 | |
| López-García, M.M., Gasca-Alvarez, H.J., Cave, R.D. & Amat-García, G. | 2016 | An annotated checklist of the New World pentodontine scarab beetles (Coleoptera: Scarabaeidae: Dynastinae: Pentodontini) | Zootaxa 4170(3):491-509 | |
| Luzzi, J.R., Maciel, T.T. & Barbosa, B.C. | 2016 | Ocorrência de <i>Megasoma gyas gyas</i> (Herbst, 1785) (Coleoptera: Scarabaeidae) em perímetro urbano | Entomotropica 31(8):60-63 | http://saber.ucv.ve/ojs/index.php/rev_entom/article/view/10192/9986 |
| Maes, J.M. & Morón, M.A. | 2016 | Melolonthinae (Coleoptera: Melolonthidae) de Nicaragua Parte 1 | Revista Nicaragüense de Entomología 92:3-297 | http://www.bio-nica.info/RevNicaEntomo/92-Melolonthinae-parte1.pdf |

| | | | | |
|---|------|---|--|---|
| Majzlan, O. | 2016 | Chrobáky (Coleoptera) vybraných lokalit v oblasti Východné Karpaty | Naturae Tutela 20(2):101-126 | https://www.smopaj.sk/sk/documentloader.php?id=326&filename=nt20_2.pdf |
| Majzlan, O. | 2016 | Faunistické Príspevky zo Slovenska Coleoptera 11 | Naturae Tutela 20(2):183-189 | https://www.smopaj.sk/sk/documentloader.php?id=326&filename=nt20_2.pdf |
| Malchau, W. | 2016 | Schröter (Coleoptera: Lucanidae) Bestandsentwicklung. Stand: Dezember 2012 | Frank D. & Schnitter P. Pflanzen und Tiere in Sachsen-Anhalt. Ein Kompendium der Biodiversität : (809-814) | |
| Malec, P. & Šípek, P. | 2016 | On the cetoniine fauna of Eastern Cape (EC) and KwaZulu-Natal (KZN) and the basic guidelines to captive breeding of these beetles (Coleoptera, Scarabaeidae, Cetoniinae) | Cetoniimania NS 9:52-78 | |
| Marczak, D. & Mroczynski, R. | 2016 | A contribution to the knowledge of the fauna of the Kampinos National Park: Scarabaeidae. Part 1. Subfamilies: Melolonthinae, Sericinae, Rutelinae, Dynastinae i Cetoninae | Wiadomości Entomologiczne 35(3):161-171 | |
| Márquez-Rodríguez, J. | 2016 | Nueva cita de <i>Phyllognathus excavatus</i> Forster, 1771 (Coleoptera: Scarabaeidae: Dynastinae) en el norte de Túnez | Arquivos Entomológicos 15:337-338 | http://www.aegaweb.com/arquivos_entomologicos/ae15_2016_marquez_rodriguez_phyllognathus_excavatus_coleoptera_scarabaeidae_tunez.pdf |
| Maryasova, V.A. & Dragan, S.V. | 2016 | New records of Scarabaeids (Coleoptera, Scarabaeidae) in southern Siberia | Vestnik TvGU. Seryia Biologiya y Ecologiya 1:64-68 | |
| Masumoto, K. & Kiuchi, M. | 2016 | A new <i>Orammoecius</i> species from North Thailand (Scarabaeidae, Aphodiinae, Aphodiini) | Kogane, Tokyo 18:79-82 | |
| Masumoto, K., Lan, Y. & Kiuchi, M. | 2016 | A new species of the genus <i>Odochilus</i> (Scarabaeidae, Aphodiinae, Odochiliini) and a new synonym of the genus <i>Paradidactylia</i> (Scarabaeidae, Aphodiinae, Aphodiini) collected from Kenting National Park, Taiwan | Kogane, Tokyo 18:83-88 | |
| Maté, J.F. | 2016 | <i>Setylaides assamensis</i> sp.n., a new species of Eupariini from India (Coleoptera: Scarabaeidae: Aphodiinae) | Koleopterologische Rundschau 86:199-203 | http://www.zobodat.at/pdf/KOR_86_2016_0199-0203.pdf |
| Matsumoto, T. | 2016 | Taxonomic notes on two Sumatran species of the genus <i>Holotrichia</i> Hope (Scarabaeidae, Melolonthinae, Melolonthini) | Kogane, Tokyo 18:1-4 | |
| Matsumoto, T. | 2016 | Three new genera of the subtribe <i>Rhizotrogina</i> (Scarabaeidae, Melolonthinae, Melolonthini) | Kogane, Tokyo 18:5-14 | |
| Mattos, I. & Mermudes, J.R.M. | 2016 | First survey of the Passalidae (Coleoptera: Scarabaeoidea) species from Reserva Ecológica de Guapiaçu (REGUA), Cachoeiras de Macacu, RJ, Brazil | Check List 12(3):1-8 | http://www.biotaxa.org/cl/article/download/12.3.1893/20784 |
| Mawlood, N.A., Ahmed, H.S. & Kadir, N.B. | 2016 | A New species of bumble bee scarab beetles, <i>Amphicoma</i> Latreille 1807 (Coleoptera: Glaphyridae) from Kurdistan region-Iraq | Zanco Journal of Pure and Applied Sciences 28(1):26-28 | http://zancojournals.su.edu.krd/index.php/JPAS/article/view/464/330 |
| Mawlood, N.A., Hamad, M.I. & Abdullah, Y.M. | 2016 | A new record of glaphyrid scarab beetles, <i>Eulasia vittata</i> (Fabricius, 1775) (Coleoptera: Glaphyridae) from Erbil Kurdistan region-Iraq | Zanco Journal of Pure and Applied Sciences 28(3):1-4 | http://zancojournals.su.edu.krd/index.php/JPAS/article/download/899/743/ |
| McPeak, R.H. & Oberbauer, T.A. | 2016 | <i>Coenonycha globosa</i> McClay (Coleoptera: Scarabaeidae) Rediscovered in Washington State, with Comments on Its Habitat and Host Plantassociations | The Coleopterists Bulletin 70(2):272-273 | |

| | | | | |
|---|------|--|--|---|
| Mienis, H.K. | 2016 | Activity pattern of the Cockchafer <i>Pachydema albipilis</i> in Kibbutz Netzer Sereni, Israel, in 2016 | Natuurhistorische en Andere Notities 11:7-9 | http://israel-nature-site.com/wp-content/uploads/2017/01/Natural-History-and-Other-Notes-11.pdf |
| Miessen, G. | 2016 | Essais sur le genre <i>Aplidia</i> Hope 1837 à Chypre et commentaires sur quelques espèces limitrophes (Coleoptera, Scarabaeoidea, Melolonthidae, Rhizotrogini) | Entomologie Faunistique 69:57-73 | http://popups.ulg.ac.be/2030-6318/index.php?id=3469 |
| Minkina, L. | 2016 | Three new species of <i>Oxyomus</i> Dejean, 1833 (Scarabaeidae: Aphodiini) from the Oriental region | Studies and Reports Taxonomical Series 12(1):165-176 | http://wwwold.fld.czu.cz/studiesandreports/pdf/2016-1/authors/165-176_minkina.pdf |
| Minkina, L. | 2016 | A new species of the genus <i>Paradidactylia</i> (Balthasar, 1937) (Scarabaeidae: Aphodiini) from Nepal | Folia Heyrovskyana series A 24(1):42-45 | http://foliaseriesa.cz/pdf/2016-1/Minkina%2042-45.pdf |
| Minor, P. & Morón, M.A. | 2016 | Coleópteros lamelicornios (Coleoptera: Scarabaeoidea) de la barranca de Huehuetitla, Tlaxcala, México | Acta Zoológica Mexicana, México(N.S.) 32(3):310-322 | http://www.scielo.org.mx/pdf/azm/v32n3/0065-1737-azm-32-03-00310.pdf |
| Miroshnikov, A.I. | 2016 | <i>Gnorimus bartelsi</i> Faldermann, 1835 (Coleoptera: Scarabaeidae) in the Northwestern Caucasus and its general distribution | Caucasian Entomological Bulletin 12(2):235-241 | http://www.ssc-ras.ru/ckfinder/userfiles/files/5_AI%20Miroshnikov.pdf |
| Mishima, T. & Araya, K. | 2016 | Are the larvae of stag beetle xylophagous or mycophagous ? - Analysis of polysaccharide digestive enzymatic systems of the larvae of <i>Dorcus rectus</i> | Kogane, Tokyo 18:94-100 | |
| Moctezuma, V. | 2016 | Nuevo registro estatal de <i>Rutelisca</i> Bates, 1888 (Coleoptera: Scarabaeoidea: Scarabaeidae: Rutelinae) de Puebla, México | Acta Zoológica Mexicana, México(N.S.) 32(3):398-399 | http://www.scielo.org.mx/pdf/azm/v32n3/0065-1737-azm-32-03-00398.pdf |
| Moctezuma, V., Rossini, M., Zunino, M. & Halffter, G. | 2016 | A contribution to the knowledge of the mountain entomofauna of Mexico with a description of two new species of <i>Onthophagus</i> Latreille, 1802 (Coleoptera, Scarabaeidae, Scarabaeinae) | ZooKeys 572:23-50 | http://zookeys.pensoft.net/articles.php?id=6763 |
| Moeseneder, C.H. & Hutchinson, P.M. | 2016 | <i>Navigator</i> , a new endemic genus of Cetoniinae (Coleoptera: Scarabaeidae) from Australia, with descriptions of two new species and behavioural studies | Zootaxa 4173(6):530-556 | |
| Molnár, B., Szerényi, G. & Szövényi, G. | 2016 | Insect faunistical investigation in the Fundoklia Valley at Érd (Hungary) | Állattani közlemények 101(1-2):43-64 | http://real.mtak.hu/44037/1/4_Molnar_43_64_u.pdf |
| Mondaca, J. | 2016 | A New, High-Elevation Species of the Genus <i>Ancognatha</i> Erichson (Coleoptera: Scarabaeidae: Dynastinae) from Chile | The Coleopterists Bulletin 70(1):59-64 | |
| Mondaca, J. | 2016 | Revisión del género <i>Oogenius</i> Solier, 1851 (Coleoptera: Scarabaeidae: Rutelinae: Rutelini) | Insecta Mundi 0515:1-24 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0515_Mondaca_2016.pdf |
| Mondaca, J. & Valencia, G. | 2016 | Nuevo género y especie de Rutelini (Coleoptera: Scarabaeidae: Rutelinae) de los Andes peruanos | Insecta Mundi 0473:1-10 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0473_MondacaandValencia_2016.pdf |
| Mondragón, S.P. & Molano, F. | 2016 | Órgano genital masculino en <i>Eurysternus</i> (Scarabaeidae, Scarabaeinae) de Colombia | Caldasia 38(1):211-224 | http://www.revistas.unal.edu.co/index.php/cal/article/download/57839/56313 |
| Monte, C., Zilioli, M. & Bartolozzi, L. | 2016 | Revision of the Australian species of <i>Figulus</i> MacLeay, 1819 (Coleoptera, Lucanidae) | Zootaxa 4189(3):447-484 | |

| | | | | |
|--|------|---|--|---|
| Montoya-Molina, S., Isaza-López, L.M. & González, J.L. | 2016 | Escarabajos coprófagos (Scarabaeidae: Scarabaeinae) de la Cuenca del Río Dagua, Valle del Cauca, Colombia | Dugesiana 23(2):125-133 | http://www.revistascientificas.udg.mx/index.php/DUG/article/download/5602/5665 |
| Montreuil, O. | 2016 | Anomalini et Anisopliini de la faune d'Iran : nouvelles données et description d'une nouvelle espèce (Coleoptera, Scarabaeoidea, Rutelidae) | Bulletin de la Société entomologique de France 121(1):105-110 | https://www.persee.fr/doc/bsef_0037-928x_2016_num_121_1_2334 |
| Montreuil, O. | 2016 | Sericini nouveaux ou peu connus de la faune d'Iran (Coleoptera, Melolonthidae) | Bulletin de la Société entomologique de France 121(1):111-115 | https://lasef.org/wp-content/uploads/BSEF/121-1/1874_Montreuil.pdf |
| Montreuil, O. | 2016 | Nouveaux Sisyphus Latreille, 1807, du groupe seminulum : le complexe arboreus (Coleoptera, Scarabaeidae, Sisyphini) | Bulletin de la Société entomologique de France 121(2):167-174 | https://lasef.org/wp-content/uploads/BSEF/121-2/1888_Montreuil.pdf |
| Montreuil, O. | 2016 | Les Scarabaeini de la faune d'Iran (Coleoptera, Scarabaeidae) | Catharsius. La Revue 13(1):1-14 | |
| Montreuil, O. & Théry, T. | 2016 | A revision of the genus Paranthobium from New Caledonia (Coleoptera: Scarabaeidae: Scarabaeinae: Epilissini) | Annales de la Société entomologique de France (N.S.) 52(1):1-25 | |
| Morani, M. | 2016 | The Genus Goliathus Vol. I. Goliathus cacicus (Olivier, 1789) | Natura Edizione Scientifique :1-38, 15 Plates | |
| Moravec, P. & Rébl, K. | 2016 | Results of the faunistic survey of beetles (Coleoptera) in the Křivoklátsko Protected Landscape Area and Biosphere Reserve (Czech Republic) Appendix III. | Elateridarium 10:1-42 | http://www.elateridae.com/clanky/moravec-rebl_krivoklatsko3_17_2_2016.pdf |
| Moreno Mancilla, O.F. & Molano Rendón, F. | 2016 | Variación en las abundancias de Homocopris achamas (Harold, 1867) (Coleoptera: Scarabaeidae: Scarabaeinae) en el páramo de Rabanal, Boyacá-Colombia | Ciencia en Desarrollo 7(2):67-73 | http://revistas.uptc.edu.co/index.php/ciencia_en_desarrollo/article/download/3499/4603 |
| Moreno-Fonseca, C.J. & Amat-García, G.D. | 2016 | Morphoecology guild in beetles (Coleoptera: Passalidae) along an altitudinal gradient in oak forests of the Eastern Cordillera, Colombia | Revista de Biología Tropical 64(1):289-303 | http://www.scielo.sa.cr/pdf/rbt/v64n1/0034-7744-rbt-64-01-00289.pdf |
| Moretto, P. | 2016 | Description d'une nouvelle espèce de Scarabaeolus Balthasar, 1965, d'Afrique de l'Ouest (Coleoptera, Scarabaeidae) | Catharsius. La Revue 13(2):8-23 | |
| Moretto, P. | 2016 | Description d'un nouveau Canthonini de Namibie appartenant au genre Dicranocara Frolov & Scholtz, 2003 (Coleoptera, Scarabaeidae) | Entomologia Africana 21(2):47-49 | |
| Mori, Y. & Matsuoka, K. | 2016 | Two fossil scarabid beetles (Coleoptera) from the Miocene Shitara Group at Shibaishi-pass, Aichi Prefecture, Japan | Science Report of the Toyohashi Museum of Natural History 26:1-5 | https://www.toyohaku.gr.jp/sizensi/06shuppaa/kenkyuuho/kenpou26/26kenkyuu-houkoku01.pdf |
| Morón, M.A. | 2016 | Dos nuevas especies de Phyllophaga Harris (Coleoptera: Melolonthidae: Melolonthinae) de Jalisco e Hidalgo, México | Dugesiana 23(1):21-26 | https://archive.org/download/dugesiana-4991-5260/dugesiana-4991-5260.pdf |
| Morón, M.A. | 2016 | Revisión del grupo de especies «heteronycha» de Phyllophaga (s. str.) (Coleoptera: Melolonthidae: Melolonthinae) | Elytron 28:27-64 | |
| Morón, M.A. & Arce-Pérez, R. | 2016 | Soil Scarab Beetles at Santa Marta, Los Tuxtlas, Veracruz, Mexico | Southwestern Entomologist 41(1):51-62 | |

| | | | | |
|---|------|---|---|---|
| Morón, M.A. & Nogueira, G. | 2016 | Revisión del grupo de especies "lecontei" de Plusiotis (s.str.) (Coleoptera: Melolonthidae: Rutelinae) | Boletín de la Sociedad Entomológica Aragonesa 58:6-27 | http://www.sea-socios.com/Boletines/PDF/Boletin58/006-027BSEA58.pdf |
| Morón, M.A. & Nogueira, G. | 2016 | Actualización del género Parabyrsopolis Ohaus (Coleoptera: Melolonthidae: Rutelinae) | Boletín de la Sociedad Entomológica Aragonesa 59:7-22 | http://www.sea-socios.com/Boletines/PDF/Boletin59/007022BSEA59ParabyrsopolisMoronetetal.pdf |
| Morón, M.A., Ramírez-Ponce, A., Ramírez-Salinas, C. & Carrillo-Ruiz, H. | 2016 | Description of immature stages of <i>Hoplia mexicana</i> Harold and <i>H. squamifera</i> Burmeister (Coleoptera, Melolonthidae, Hopliinae) | Revista Brasileira de Entomologia 60(1):1-7 | http://www.scielo.br/pdf/rbent/v60n1/0085-5626-rbent-60-01-0001.pdf |
| Morón, M.A., Rojas-Gómez, C.V. & Arce-Pérez, R. | 2016 | Los estados inmaduros de <i>Phyllophaga heteronycha</i> , <i>P. leonina</i> y <i>P. angulicollis</i> (Coleoptera: Melolonthidae: Melolonthinae) | Revista Mexicana de Biodiversidad 87(3):933-943 | http://revista.ib.unam.mx/index.php/bio/article/download/1573/1324 |
| Morón-Ríos, A. & Morón, M.A. | 2016 | Evaluación de la Fauna de Coleoptera Scarabaeoidea en la Reserva de la Biósfera de Calakmul, Campeche, México | Southwestern Entomologist 41(2):469-483 | |
| Mroczynski, R. & Marczak, D. | 2016 | A contribution to the knowledge of the fauna of the Kampinos National Park: Scarabaeidae. Part 2: Subfamilies: Aphodiinae, Scarabaeinae | Wiadomości Entomologiczne 35(4):212-224 | |
| Nasir, A., Hussain, M., Fatima, S., Noureen, N. & Ghazanfar, M. | 2016 | New faunal records of dung beetles from district Sialkot, Punjab, Pakistan | Journal of Biodiversity and Environmental Sciences 9(2):122-128 | http://www.innspub.net/download/?target=wp-content/uploads/2016/09/JBES-Vol9No2-p122-128.pdf_15960 |
| Negrobov, S.O. | 2016 | The intraspecific variability on the two species of the genus <i>Bodilus</i> Mulsant & Rey, 1869 (Aphodiidae, Coleoptera) on the territory of the middle Don basin | Nauchnye vedomosti. Seriya Estestvennyye nauki 35(232):81-84 | |
| Nikitsky, N.B. | 2016 | Zhestkokrylye nasekomye (Insecta, Coleoptera) Moskovskoy oblasti. Chast 1 | Direct-Media, Moscow, Berlin :1-770 | |
| Nikolajev, G.V. | 2016 | Taxonomic composition of the family Trogidae (Coleoptera: Scarabaeoidea) of the Russian fauna | Caucasian Entomological Bulletin 12(1):81-91 | http://www.ssc-ras.ru/ckfinder/userfiles/files/11_GV%20Nikolajev.pdf |
| Nikolajev, G.V. | 2016 | About the type species of the subgenus <i>Scelolethrus</i> Semenov, 1892 of the genus <i>Lethrus</i> Scopoli, 1777 (Coleoptera: Geotrupidae: Lethrinae) | Caucasian Entomological Bulletin 12(2):243-244 | http://www.ssc-ras.ru/ckfinder/userfiles/files/6_GV%20Nikolajev(1).pdf |
| Nunes, R.V. | 2016 | A New Species in the Subgenus <i>Selenocopris</i> Burmeister, 1846 (Coleoptera: Scarabaeidae: Scarabaeinae: <i>Dichotomius</i> Hope) from Panama | The Coleopterists Bulletin 70(2):375-379 | |
| Nunes, R.V. & Vaz-de-Mello, F.Z. | 2016 | A new species of <i>Holocephalus</i> Hope from Paraguay (Coleoptera: Scarabaeidae: Scarabaeinae: <i>Dichotomiini</i> s. str.) | Zootaxa 4136(2):397-400 | |
| Nunes, R.V. & Vaz-de-Mello, F.Z. | 2016 | New brachypterous species of <i>Dichotomius</i> (<i>Selenocopris</i>) Burmeister (Coleoptera: Scarabaeidae: Scarabaeinae) with the definition of species groups and taxonomic notes in the subgenus | Zootaxa 4139(1):76-92 | |
| Nunes, R.V., Carvalho, M.S.G. & Vaz-de-Mello, F.Z. | 2016 | Taxonomic review of the <i>Dichotomius</i> (<i>Luederwaldtinia</i>) <i>assifer</i> (Eschscholtz) species-group (Coleoptera: Scarabaeidae) | Zootaxa 4078 (1):230-244 | |
| Ochi, T. & Kon, M. | 2016 | Notes on the coprophagous scarab-beetles (Coleoptera, Scarabaeidae) from Southeast Asia. XXVI. A new subgenus and a new species of the genus <i>Onthophagus</i> | Giornale Italiano di Entomologia 14(61):449-458 | |

| | | | | |
|---|------|---|---|---|
| Ochi, T. & Kon, M. | 2016 | A new species of the genus <i>Panelus</i> from Borneo (Coleoptera, Scarabaeidae, Scarabaeinae) | Giornale Italiano di Entomologia 14(61):459-462 | |
| Ochi, T. & Kon, M. | 2016 | New Records of <i>Onthophagus</i> (<i>Onthophagus</i>) <i>ishiii</i> Ochi et Kon (Coleoptera, Scarabaeidae) from Brunei and Sumatra, Indonesia | Elytra, Tokyo, New Series 6(1):56 | http://coleoptera.sakura.ne.jp/ElytraNS/Elytra6-1_056-056%20Ochi.pdf |
| Ochi, T. & Kon, M. | 2016 | Notes on the Coprophagous Scarab-beetles (Coleoptera, Scarabaeidae) from Southeast Asia. (XXVII) Three New Species of the Genus <i>Parascatonomus</i> | Elytra, Tokyo, New Series 6(2):313-320 | http://coleoptera.sakura.ne.jp/ElytraNS/Elytra6-2_313.pdf |
| Ochi, T., Kon, M. & Barclay, M.V.L. | 2016 | A Review of the Subgenus <i>Pseudophanaeomorphus</i> Ochi of the genus <i>Onthophagus</i> (Coleoptera: Scarabaeidae) | Giornale Italiano di Entomologia 14(61):415-448 | |
| Ochi, T., Kon, M. & Kakizoe, S. | 2016 | Nine New Taxa of the Genus <i>Gilletianus</i> from Southeast Asia (Coleoptera: Scarabaeidae) | Japanese Journal of Systematic Entomology 22(2):307-320 | |
| Ochi, T., Pham, H.T. & Kon, M. | 2016 | A New Species of the Genus <i>Parachorius</i> (Coleoptera, Scarabaeidae) from Vietnam | Elytra, Tokyo, New Series 6(2):307-311 | http://coleoptera.sakura.ne.jp/ElytraNS/Elytra6-2_307.pdf |
| Okuda, N. & Maeda, T. | 2016 | Two new species of the genus <i>Lucanus</i> Scopoli and two new subspecies of the genus <i>Hexarthrius</i> Hope (Coleoptera, Lucanidae) from Arunachal Pradesh, northeastern India | Gekkan-Mushi 544:19-26 | |
| Okuda, N. & Maeda, T. | 2016 | A new species of the genus <i>Nigidius</i> MacLeay (Coleoptera, Lucanidae) from Arunachal Pradesh, northeastern India | Kogane, Tokyo 18:73-75 | |
| Ostrovsky, A.M. | 2016 | A preliminary list of beetle species (Insecta, Coleoptera) of the South-Eastern part of the Republic of Belarus | Euroasian Entomological Journal 15(4):379-386 | http://krmkjournals.com/upload/PDF/EEJ/15/EEJ15_4_14.pdf |
| Pablo-Cea, J.D., Velado-Cano, M.A. & Solís, A. | 2016 | Primer reporte de cuatro especies de escarabajos coprófagos (Coleoptera: Scarabaeinae) en El Salvador | Acta Zoológica Mexicana (n. s.) 32(2):218-221 | http://www1.inecol.edu.mx/azm/2016/3/azm32-2-N11-Pablo-et-al-.pdf |
| Pardo-Locarno, L.C. & Villalobos-Moreno, A. | 2016 | Columbian <i>Chiasognathini</i> : redescription y adiciones a la distribución de <i>Sphaenogathus rotundatus</i> Lacroix y <i>Sphaenogathus prionoides</i> Buquet (Coleoptera: Lucanidae) | Boletín Científico. Centro de Museos. Museo de Historia Natural 20(2):235-249 | http://www.scielo.org.co/pdf/bccm/v20n2/v20n2a18.pdf |
| Paulsen, M.J. | 2016 | A new species of <i>Dinonigidius</i> de Lisle from Sri Lanka (Coleoptera: Lucanidae) | Insecta Mundi 0484:1-4 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0484_Paulsen_2016.pdf |
| Paulsen, M.J. | 2016 | Two new species of South American <i>Glaresidae</i> (Coleoptera: Scarabaeoidea) | Zootaxa 4154(5):595-600 | |
| Peck, S.B. | 2016 | The beetles of the Lesser Antilles (Insecta: Coleoptera): diversity and distributions | Insecta Mundi 0460:1-360 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0460_Peck_2016.pdf |
| Pérez, T., López-Colón, J.I. & Bahillo de la Puebla, P. | 2016 | <i>Thorectes</i> (<i>Thorectes</i>) <i>lusitanicus</i> (Jekel, 1866) (Coleoptera, Geotrupidae) en la Cueva Navilla de Fuente Acero (Sierra de Cazorla, Jaén, Andalucía) | Monografías Bioespeleológicas 11:17-19 | https://dialnet.unirioja.es/servlet/articulo?codigo=7558654&orden=0&info=link |
| Pérez-Flores, O., Villagomez, F. & Galindo, O.R. | 2016 | A new species of <i>Chrysina</i> Kirby (Coleoptera: Scarabaeidae: Rutelini) from Mexico based on morphological and molecular data | Journal of Entomology and Zoology Studies 4(1):606-610 | http://www.entomoljournal.com/archives/2016/vol4issue1/PartI/4-1-30.pdf |

| | | | | |
|---|------|--|---|---|
| Perissinotto, R. | 2016 | Description of the female of <i>Haematonotus</i> jenseni Krajcik, 2006 and placement of the species within the genus <i>Atrichiana</i> Distant, 1911 (Coleoptera, Scarabaeidae, Cetoniinae) | ZooKeys 561:39-49 | http://zookeys.pensoft.net/articles.php?id=6136 |
| Petrova, Y., Chehlarov, E. & Gradinarov, D. | 2016 | Scarabaeoid beetles (Coleoptera: Scarabaeoidea) from Vrachanska Planina Mountains and Vrachanski Balkan Nature Park | Faunistic diversity of Vrachanski Balkan Nature Park. ZooNotes Supplement 3:125-142 | http://www.zoonotes.bio.uni-plovdiv.bg/Supplements/Suppl%203/Scarabaeoid%20beetles.pdf |
| Philips, T.K. | 2016 | Phylogeny of the Oniticellini and Onthophagini dung beetles (Scarabaeidae, Scarabaeinae) from morphological evidence | ZooKeys 579:9-57 | http://zookeys.pensoft.net/articles.php?id=6183 |
| Philips, T.K., Callahan, M., Orozco, J. & Rowland, N. | 2016 | Phylogenetic Analysis of the North American Beetle Genus <i>Trichiotinus</i> (Coleoptera: Scarabaeidae: Trichiinae) | Psyche :1-9 | https://www.hindawi.com/journals/psyche/2016/1584962/ |
| Pokorný, S. & Zídek, J. | 2016 | Review of the <i>Gymnopleurini</i> (Coleoptera: Scarabaeidae: Scarabaeinae) III. Asian species of <i>Garreta</i> Janssens | Insecta Mundi 0483:1-8 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0483_PokornyandZidek_2016.pdf |
| Prandi, M. | 2016 | Una nuova specie di <i>Megasoma</i> Kirby dal Brasile (Coleoptera, Scarabaeidae, Dynastinae) | Giornale Italiano di Entomologia 14(61):525-548 | |
| Prieto, M. & Fernandez, D. | 2016 | Contribución al conocimiento de los coleópteros de Cal Tet-Ca l'Arana-Carrabiners (delta del Llobregat, Cataluña, noreste de la Península Ibérica) | Boletín de la Asociación Española de Entomología 40(3-4):269-305 | http://www.entomologica.es/index.php?d=publicaciones&num=68&w=1661&ft=1 |
| Prokofiev, A.M. | 2016 | Genus <i>Dichelomorpha</i> Burmeister, 1855 in the fauna of Vietnam: species with abbreviated 1–4 mesotarsal segments in males (Coleoptera: Scarabaeidae: Melolonthinae: Diphycerini) | Euroasian Entomological Journal (2015) 14(6):543-551 | http://krmkjournals.com/upload/PDF/EEJ/14/201514606.pdf |
| Prokofiev, A.M. | 2016 | New genera and species of the Papuan <i>Leucopholini</i> and <i>Melolonthini</i> (Coleoptera, Scarabaeidae: Melolonthinae) | Euroasian Entomological Journal 15(1):68-74 | http://krmkjournals.com/upload/PDF/EEJ/15/201615610.pdf |
| Prokofiev, A.M. | 2016 | On the Phytophagous Scarabs of the Subfamilies Dynastinae, Rutelinae, and Melolonthinae from the Schouten Islands (=Kepulauan Biak), Indonesian Papua (Coleoptera: Scarabaeidae) | Species Diversity 21(1):71-77 | https://www.jstage.jst.go.jp/article/specdiv/21/1/21_71/_pdf/-char/en |
| Prokofiev, A.M. | 2016 | A new genus of <i>Melolonthini</i> from Dalat Plateau, Vietnam (Coleoptera: Scarabaeidae: Melolonthinae) | Caucasian Entomological Bulletin 12(2):229-231 | http://www.ssc-ras.ru/ckfinder/userfiles/files/3_AM%20Prokofiev.pdf |
| Prokofiev, A.M. & Zorn, C. | 2016 | Review of the <i>Mimela</i> species of the Dalat Plateau in southern Vietnam (Coleoptera, Scarabaeidae, Rutelinae) | Contributions to Entomology 66(2):329-346 | https://www.zobodat.at/pdf/Beitraege-zur-Entomologie_66_0329-0346.pdf |
| Prunier, D., Tauzin, P. & Rosset, P. | 2016 | Une nouvelle espèce de <i>Ceratophyus</i> Fischer von Waldheim, 1823 (Coleoptera, Scarabaeoidea, Geotrupidae) | Le Coléoptériste 19(3):190-195 | |
| Qiu, J.Y. & Xu, H. | 2016 | Taxonomy and natural history of the myrmecophilous genus <i>Clinterocera</i> Motschulsky, 1858 (Coleoptera: Scarabaeidae: Cetoniinae) from China and adjacent regions: definition of species group and revision of the <i>C. discipennis</i> species group | Zootaxa 4127(1):81-104 | |
| Rakovič, M., Král, D. & Mencl, L. | 2016 | Three possibly allied species of the genus <i>Rhyssemus</i> occurring in southern areas of the Arabian Peninsula and exerting affinity to the East-African fauna (Coleoptera: Scarabaeidae: Aphodiinae: Psammodiini) | Studies and Reports Taxonomical Series 12(1):219-234 | http://wwwold.fld.czu.cz/studiesandreports/pdf/2016-1/authors/219-234_rakovic.pdf |
| Rakovič, M., Král, D. & Mencl, L. | 2016 | A revision of <i>Trichaphodius</i> species from the Indian Subcontinent (Coleoptera: Scarabaeidae: Aphodiinae: Aphodiini) | Studies and Reports Taxonomical Series 12(2):471-488 | http://wwwold.fld.czu.cz/studiesandreports/pdf/2016-2/authors/471-488_rakovic.pdf |

| | | | | |
|--|------|---|---|---|
| Rakovič, M., Král, D. & Mencl, L. | 2016 | Studies on types in the genus <i>Rhyssemus</i> . 1. General considerations and <i>R.mayeti</i> Clouët des Pesruches, 1901 (Coleoptera: Scarabaeidae: Aphodiinae: Psammodiini) | Folia Heyrovskyana, series A 24(1):86-94 | http://foliaseriesa.cz/pdf/2016-1/Rakovič%20et%20al.%2086-94.pdf |
| Rakovič, M., Mencl, L. & Král, D. | 2016 | Studies on types in the genus <i>Rhyssemus</i> . 2. <i>Rhyssemus keisseri</i> Bénard, 1910 and <i>Rhyssemus rohani</i> Bénard, 1920 (Coleoptera: Scarabaeidae: Aphodiinae: Psammodiini) | Folia Heyrovskyana, series A 24(2):57-66 | http://foliaseriesa.cz/pdf/2016-2/Rakovič%2057-66.pdf |
| Ramírez, L.C. & Alonso, C.P. | 2016 | Two late pleistocene members of the white-grub complex, one of the most destructive insect pests of turfgrasses | Revista Brasileira de Paleontologia 19(3):531-536 | https://www.sbpbrasil.org/assets/uploads/files/16_Ramirez_%26_Alonso_pg531a536_online%282%29.pdf |
| Ramírez-Restrepo, L. & Halffter, G. | 2016 | A dung beetle in Mexico City: the case of <i>Ceratotrupes fronticornis</i> (Erichson) (Coleoptera: Geotrupidae) | Acta Zoológica Mexicana (n. s.) 32(2):213-214 | http://www1.inecol.edu.mx/azm/2016/3/azm32-2-N09-Ramirez-y-Halffter.pdf |
| Ratcliffe, B.C. | 2016 | <i>Trox paulseni</i> (Coleoptera: Trogidae) a new species from Nebraska and Kansas, USA | Insecta Mundi 0482:1-6 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0482_Ratcliffe_2016.pdf |
| Reid, C.A.M. & Beatson, M. | 2016 | Revision of the stag beetle genus <i>Ryssonotus</i> MacLeay (Coleoptera: Lucanidae) with descriptions of a new genus and three new species | Zootaxa 4150(1):1-39 | https://archive.org/download/zootaxa-4150-001-001/zootaxa-4150-001-001.pdf |
| Reyes-Castillo, P. & Jiménez-Ferbans, L. | 2016 | <i>Aulacocyclus yorkensis</i> a new species of Passalidae (Coleoptera: Scarabaeoidea) from Australia, with a key to the identification of Australian species of the genus | Revista Brasileira de Entomologia 60(3):211-213 | http://www.scielo.br/pdf/rbent/v60n3/0085-5626-rbent-60-03-0211.pdf |
| Ries, A.C.R., Silva, V.C., da Silva, P.G., Blochtein, B. & Thyssen, P.J. | 2016 | Record of <i>Ataenius picinus</i> Harold, 1868 (Coleoptera: Scarabaeidae: Aphodiinae) associated with exposed carcasses in Southern Brazil | Entomotropica 31(6):48-53 | http://saber.ucv.ve/ojs/index.php/rev_ento/article/view/10191/9985 |
| Rittner, O. | 2016 | The first record of <i>Polyphylla olivieri</i> (Laporte de Castelanu, 1840) (Scarabaeidae: Melolonthinae) from Lebanon | Israel Journal of Entomology 46:77-78 | http://www.entomology.org.il/sites/default/files/pdfs/Rittner_2016_IJE_PolyphyllaLebanon.pdf |
| Rittner, O. | 2016 | Synopsis of the Melolonthini (Scarabaeidae: Melolonthinae) of Israel, with a first description of the female of <i>Anoxia</i> (<i>Protanoxia</i>) <i>laevimacula</i> Petrovitz, 1973 | Israel Journal of Entomology 46:99-108 | http://www.entomology.org.il/sites/default/files/pdfs/Rittner_2016_IJE_MelolonthiniIsrael.pdf |
| Rivera-Gasperin, S.L. & Morón, M.A. | 2016 | Stridulatory organs in Asian <i>Holotrichia</i> species (Coleoptera: Melolonthidae: Melolonthinae) | Journal of Entomology and Zoology Studies 4(6):207-210 | http://www.entomoljournal.com/archives/2016/vol4issue6/PartC/4-5-170-772.pdf |
| Rizzotto, M. & Barbero, E. | 2016 | Peeling dung pellets: an unrecorded behavior in the roller dung beetle <i>Sisyphus schaefferi</i> Linnaeus (Coleoptera: Scarabaeidae: Sisyphini) | The Coleopterists Bulletin 70(4):819-821 | |
| Rodrigues, S.R., Garcia, F.P., Falco, J.S. & Morón, M.A. | 2016 | Biology and description of immature stages of <i>Gymnetis rufilateris</i> (Illiger, 1800) (Coleoptera: Cetoniidae: Cetoniinae) | Biota Neotropica 16(3):e20140176 | http://www.scielo.br/pdf/bn/v16n3/1676-0611-bn-1676-0611-BN-2014-0176.pdf |
| Rodrigues, S.R., Morón, M.A., Gomes, E.S. & Bento, J.M.S. | 2016 | Morphology of immature stages and mating behavior in <i>Liogenys fusca</i> (Blanchard) (Coleoptera, Melolonthidae, Melolonthinae) | Revista Brasileira de Entomologia 60(4):284-289 | http://www.scielo.br/pdf/rbent/v60n4/0085-5626-rbent-60-04-00284.pdf |
| Rojkoff, S. | 2016 | Révision du sous-genre <i>Polystalactica</i> (<i>Trichocelis</i>) (Moser, 1908) et description d'une nouvelle espèce (Coleoptera, Scarabaeidae, Cetoniinae, Cremastocheilini) | Cetoniimania NS 9:10-23 | |
| Rojkoff, S. | 2016 | Introduction aux Orphninae de Guyane (Coleoptera, Scarabaeidae) | Contribution à l'étude des Coléoptères de Guyane 10:79-82 | |

| | | | | |
|--|------|--|--|---|
| Rojkoff, S. | 2016 | À propos de Diplognatha (<i>Diplognatha</i>) pagana Harold, 1879 et description d'une nouvelle sous-espèce (Coleoptera, Scarabaeidae, Cetoniinae, Diplognathini) | Entomologia Africana 21(2):40-46 | |
| Rojkoff, S. & Frolov, A. | 2016 | Révision des espèces du genre <i>Aegidium</i> Westwood, 1845, des Petites Antilles (Coleoptera : Scarabaeidae, Orphninae, Aegidiini) | Annales de la Société entomologique de France (N.S.) 52(6):354-368 | |
| Rossini, M. & Vaz-de-Mello, F.Z. | 2016 | On the identity of <i>Onthophagus columbianus</i> Boucomont, 1932 (Coleoptera: Scarabaeidae: Scarabaeinae) | Zootaxa 4061(3):296-300 | |
| Rossini, M. & Vaz-de-Mello, F.Z. & Zunino, M. | 2016 | More transcontinental mislabeling in the genus <i>Onthophagus</i> : d'Orbigny's "African" Group 27 (Coleoptera: Scarabaeidae: Scarabaeinae) | Zootaxa 4175(5):494-500 | |
| Rössner, E. | 2016 | <i>Brancoplia</i> Baraud, 1986 – Taxonomie und Verbreitung der Arten der leucaspis-Gruppe (Coleoptera, Scarabaeoidea, Anomalini) | Entomologische Blätter und Coleoptera 112(1):287-300 | |
| Rössner, E. | 2016 | <i>Melinoptereus reyi</i> (Reitter, 1892) - ältere Nachweise in Sachsen und Sachsen-Anhalt (Coleoptera: Scarabaeidae: Aphodiinae) | Entomologische Mitteilungen Sachsen-Anhalt 24(2):60-62 | https://www.zobodat.at/pdf/Ent-Mitt-Sachsen-Anhalt_24_2016_0060-0062.pdf |
| Roy, L., Bon, M.C., Cesarini, C., Serin, J. & Bonato, O. | 2016 | Pinpointing the level of isolation between two cryptic species sharing the same microhabitat: a case study with a scarabaeid species complex | Zoologica Scripta 45(4):407-420 | |
| Rozner, G., Lökkös, A., Rozner, I. & Podlussány, A. | 2016 | Species of 33 beetle families from the Felső-Kongó-mező (Tapolca Basin, Hungary) collected on the 12th Hungarian Biodiversity Days | Folia Musei Historico-Naturalis Bakonyiensis 33:131-141 | |
| Ruiz, J.L., François, A. & García-París, M. | 2016 | Nuevos datos sobre distribución y hábitat de <i>Glaphyrus reymondi</i> Kocher, 1958 (Coleoptera: Scarabaeoidea: Glaphyridae) en el sudeste de Marruecos | Graellsia e042 72(1):1-7 | http://graellsia.revistas.csic.es/index.php/graellsia/article/view/534/625 |
| Ruta, R., Orzechowski, R., Aleksandrowicz, O., Borowski, J., Buchholz, L., Komosiński, K., Lubecki, K. & Przewoźny, M. | 2016 | Beetles (Insecta: Coleoptera) of Gryżyński Landscape Park | Przegląd Przyrodniczy 27(2):28-62 | https://www.kp.org.pl/pdf/pp/pdf3/PP_XXVII_2_%20Ruta_28.pdf |
| Salazar, K., Dias, G., Boucher, S., Lino-Neto, J. & Serrão, J.E. | 2016 | Morpho-anatomy of the male reproductive tract and spermatogenesis of the South American <i>Spasalus silvarum</i> Kuwert (Coleoptera: Passalidae) | Zoomorphology 135(4):487-497 | |
| Salomão, R.P., Lira, A.F.A. & Costa, F.C. | 2016 | Records of perching by dung beetles (Coleoptera: Scarabaeidae: Scarabaeinae) in the Northeastern Atlantic forest of Brazil | The Coleopterists Bulletin 70(4):903-906 | |
| Samin, N., Háva, J. & Kubisz, D. | 2016 | A contribution to the knowledge of some families of Coleoptera (Insecta) from Iran | Arquivos Entomológicos 15:29-38 | http://www.aegaweb.com/arquivos_entomologicos/ae15_2016_samin_et_al_contribution_knowledge_coleoptera_iran.pdf |
| Sarkar, S. K., Saha, S. & Raychaudhuri, D. | 2016 | On the <i>Mimela</i> Kirby, 1823 (Rutelinae: Scarabaeidae) of Buxa Tiger Reserve (a forest under biodiversity hot spot zone), Dooars, West Bengal, India | World Scientific News 50:95-105 | http://www.worldscientificnews.com/wp-content/uploads/2016/01/WSN-50-2016-95-105.pdf |
| Sarkar, S. K., Saha, S. & Raychaudhuri, D. | 2016 | Taxonomic studies on <i>Adoretus</i> Dejean, 1833 (Rutelinae: Scarabaeidae) of Buxa Tiger Reserve (a forest under biodiversity hotspot zone), Dooars, West Bengal, India | Journal of Entomology and Zoology Studies 4(6):1-11 | http://www.entomoljournal.com/archives/2016/vol4issue6/PartA/4-5-138-793.pdf |
| Sarkar, S. K., Saha, S. & Raychaudhuri, D. | 2016 | Taxonomic account of <i>Popillia</i> Dejean, 1821 (Rutelinae: Scarabaeidae) of Buxa Tiger Reserve (a forest under biodiversity hotspot zone), Dooars, West Bengal, India | Journal of Entomology and Zoology Studies 4(4):581-585 | http://www.entomoljournal.com/archives/2016/vol4issue4/PartH/4-4-14-842.pdf |

| | | | | |
|---|------|---|---|---|
| Scaccini, D. | 2016 | First record of oviposition scars in two European <i>Platycerus</i> species: <i>P. caprea</i> (De Geer, 1774) and <i>P. caraboides</i> (Linnaeus, 1758) (Coleoptera: Lucanidae) | Bulletin de la Société royale belge d'Entomologie 152(2):142-151 | http://biblio.naturalsciences.be/associated_publications/societe-royale-belge-dentomologie-koninklijke-belgische-vereniging-voorentomologie-1/152-2016/scaccini-bull-srbe-kbve-152-2-2016-142-151.pdf |
| Scaccini, D. & Anaclerio, M. | 2016 | <i>Lucanus cervus</i> (Coleoptera: Lucanidae) sampling during its flight period in Northern Italy: data from an ongoing survey in an oak forest | Bulletin de la Société royale belge d'Entomologie 152(2):163-167 | http://biblio.naturalsciences.be/associated_publications/societe-royale-belge-dentomologie-koninklijke-belgische-vereniging-voorentomologie-1/152-2016/scaccini-anaclerio-bull-srbe-kbve-152-2-2016-163-167.pdf |
| Schenk, K.D. | 2016 | Description of new Lucanidae from Asia and remark about <i>Neolucanus zebra</i> (Coleoptera, Lucanidae) | Beetles World 12:1-9 | http://frankfiedler.com/wp-content/uploads/Beetles%20World%2012_2016_liudwqo982qd1ihoid3.pdf |
| Schenk, K.D. | 2016 | Description of <i>Nigidius grosseri</i> from Uganda and <i>Dorcus maryi</i> from New Guinea (Coleoptera, Lucanidae) | Beetles World 13:1-5 | http://frankfiedler.com/wp-content/uploads/Beetles%20World%2013_2016_kweq2aqda.pdf |
| Scholtz, C.H. & Grebennikov, V.V. | 2016 | 12. Scarabaeiformia Crowson, 1960, 13. Scarabaeoidea Latreille, 1802 | Beutel R.G. & Leschen R.A.B. Handbook of Zoology. Coleoptera, Beetles. Morphology and Systematics 2nd edition 1(12):345-425 | |
| Schumann, G. | 2016 | Erdkäfer, Mistkäfer und Blatthornkäfer (Coleoptera: Scarabaeoidea: Trogidae, Geotrupidae, Scarabaeidae) | Frank D. & Schnitter P. Pflanzen und Tiere in Sachsen-Anhalt. Ein Kompendium der Biodiversität : (815-820) | |
| Seidel, M. | 2016 | Morphology and DNA barcoding reveal a new species of <i>Eudicella</i> from East Africa (Coleoptera: Scarabaeidae: Cetoniinae) | Zootaxa 4137(4):535-544 | https://www.mapress.com/jzt/article/download/zootaxa.4137.4.5/6869 |
| Şenyüz, Y., Dindar, K., Çalışkan, H. & Ümit Şirin, D. | 2016 | Chorological Categories and Faunistic Records of Dung Beetles (Coleoptera: Scarabaeoidea: Scarabaeidae) from the Sundiken Mountains, Turkey | Pakistan Journal of Zoology 48(1):137-150 | http://zsp.com.pk/pdf48/137-150%20(17)%20PJZ-1963-14%202011-15%20revised%20paper_JML%20End%20version.pdf |
| Shabalin, S.A. | 2016 | The Scarabaeoid beetles (Coleoptera, Scarabaeoidea) from the Far East State Marine Reserve | Far Eastern Entomologist 317:16-24 | http://www.biosoil.ru/fee/Downloads/317.pdf |
| Shabalin, S.A. & Ivanov, S.N. | 2016 | New data on the hide beetles <i>Trox mitis</i> Balthasar, 1933 (Coleoptera: Trogidae) | Far Eastern Entomologist 319:25-28 | http://www.biosoil.ru/Files/FEE/00000523.pdf |
| Shokhin, I.V. | 2016 | Contribution to the fauna of lamellicorn beetles (Coleoptera: Scarabaeoidea) of Southern Russia. Addition 1 | Caucasian Entomological Bulletin 12(1):75-79 | http://www.ssc-ras.ru/ckfinder/userfiles/files/10_IV%20Shokhin.pdf |
| Shokhin, I.V., Kalashian, M.Y. & Ghrejyan, T.L. | 2016 | <i>Pentodon reitteri</i> Jakovlev, 1904, sp. resurr. (Coleoptera: Scarabaeidae: Dynastinae) - the third brachypterous species from the Caucasus | Caucasian Entomological Bulletin 12(2):233-234 | http://www.ssc-ras.ru/ckfinder/userfiles/files/4_IV%20Shokhin_MYu%20Kalashian_TL%20Ghrejyan.pdf |
| Silva, R.J., Storck-Tonon, D. & Vaz-de-Mello, F.Z. | 2016 | Dung beetle (Coleoptera: Scarabaeinae) persistence in Amazonian forest fragments and adjacent pastures: biogeographic implications for alpha and beta diversity | Journal of Insect Conservation 20(4):549-564 | |
| Silvestre, G. | 2016 | Un nouveau <i>Pycnoschema</i> du groupe lacordairei Thomson, 1858 (Coleoptera, Dynastidae) | Entomologia Africana 21(2):14-18 | |
| Šípek, P., Fabrizi, S., Eberle, J. & Ahrens, D. | 2016 | A molecular phylogeny of rose chafers (Coleoptera: Scarabaeidae: Cetoniinae) reveals a complex and concerted morphological evolution related to their flight mode | Molecular Phylogenetics and Evolution 101:163-175 | |

| | | | | |
|--|------|--|--|---|
| Smith, A.B.T. | 2016 | Corrections to Neotropical Rhinaspis Perty and Plectris LePeletier and Audinet-Serville (Coleoptera: Scarabaeidae: Melolonthinae) classification and nomenclature | Insecta Mundi 0463:1-6 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0463_Smith_2016.pdf |
| Smith, A.B.T. | 2016 | Five new species of Trigonopeltastes Burmeister and Schaum from Central America with new country records for other New World Trichiini (Coleoptera, Scarabaeidae, Cetoniinae) | ZooKeys 617:91-127 | http://zookeys.pensoft.net/articles.php?id=9178 |
| Smith, A.B.T. & Mondaca, J. | 2016 | A new genus and species of Tanyproctini (Coleoptera: Scarabaeidae: Melolonthinae) from the Coquimbo Region of Chile | Insecta Mundi 0464:1-6 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0464_SmithandMondaca_2016.pdf |
| Soldati, F., Noblecourt, T. & Barnouin, T. | 2016 | Présence d'Aplidia transversa (F., 1801) dans les Alpes-Maritimes (Coleoptera Scarabaeidae Melolonthinae) | L'Entomologiste 72(6):371-372 | http://lentomologiste.fr/wp-content/uploads/lentomologiste_2016_726a.pdf |
| Sreedevi, K. & Tyagi, S. | 2016 | Notes on male genitalia and endophallus of five predominant species of Holotrichia (Coleoptera: Scarabaeidae: Melolonthinae) | Current Biotica 9(4):328-339 | |
| Stan, M., Serafim, R. & Maican, S. | 2016 | Data on the Beetle fauna (Insecta: Coleoptera) in "Frumoasa" site of community importance (ROSC10052, Romania) and its surroundings | Travaux du Muséum National d'Histoire Naturelle «Grigore Antipa» 59(2):129-159 | https://www.degruyter.com/downloadpdf/j/travmu.2016.59.issue-2/travmu-2016-0022/travmu-2016-0022.pdf |
| Strümpher, W.P., Sole, C.L., Villet, M.H. & Scholtz, C.H. | 2016 | Allopatric speciation in the flightless Phoberus capensis (Coleoptera: Trogidae) group, with description of two new species | Insect Systematics & Evolution 47(2):149-179 | |
| Strümpher, W.P., Villet, M.H., Sole, C.L. & Scholtz, C.H. | 2016 | Overview and revision of the extant genera and subgenera of Trogidae (Coleoptera: Scarabaeoidea) | Insect Systematics & Evolution 47(1):53-82 | |
| Su, X., Cai, X., Li, Y., Shen, Z. & Huang, D. | 2016 | Using math-morphological characters of wings for classification and identification of eight species in Scarabaeoidea | Journal of China Agricultural University 21(7):61-66 | |
| Taboada-Verona, C., Faúndez, E.I. & Sierra-Serrano, O. | 2016 | Reporte de un caso teratológico en Pelidnota polita Latreille, 1812 (Coleoptera: Scarabaeidae: Rutelinae) en Colombia | Boletín de la Sociedad Entomológica Aragonesa 59:303-304 | http://www.sea-socios.com/Boletines/PDF/Boletin59/303304BSEA59NBPelidnotateratologia.pdf |
| Tarasov, S.I. & Dimitrov, D. | 2016 | Multigene phylogenetic analysis redefines dung beetle relationships and classification (Coleoptera: Scarabaeidae: Scarabaeinae) | BMC Evolutionary Biology 16(257):1-19 | https://bmcevolbiol.biomedcentral.com/articles/10.1186/s12862-016-0822-x |
| Tarasov, S.I., Vaz-de-Mello, F.Z., Krell, F. & Dimitrov, D. | 2016 | A review and phylogeny of Scarabaeine dung beetle fossils (Coleoptera: Scarabaeidae: Scarabaeinae), with the description of two Canthochilum species from Dominican amber | PeerJ 4(e1988):1-35 | https://peerj.com/articles/1988.pdf |
| Tauzin, P. | 2016 | A propos du taxon Cetonia squamosa Gory & Percheron, 1833 (Coleoptera, Scarabaeidae, Cetoniinae) | Lambillionea 116(2):171-174 | |
| Tauzin, P. | 2016 | Contribution à la connaissance du genre Orubesa Reitter 1895 (Coleoptera, Scarabaeidae, Dynamopodinae) | Le Coléoptériste 19(2):97-99 | |
| Tauzin, P. | 2016 | Précision sur la répartition de quelques espèces du genre Pachnoda Burmeister, 1842. Première note: Pachnoda bax (Gory & Percheron, 1833) (Coleoptera, Scarabaeidae, Cetoniinae) | Lambillionea 116(3):202-209 | |
| Telnov, D., Bukejs, A., Gailis, J., Kalnins, M., Kirejtshuk, A.G., Piterans, U. & Savich, F. | 2016 | Contributions to the knowledge of Latvian Coleoptera. 10 | Latvijas Entomologs 53:89-121 | http://leb.daba.lv/Telnov3-53.pdf |

| | | | | |
|---|------|---|---|---|
| Thomaes, A., Drumont, A., Eylenbosch, S., Raemdonck, H., Muls, D., Dekuijper, C. & Dahan, L. | 2016 | Three new localities for <i>Gnorimus nobilis</i> in northern Belgium (Coleoptera: Cetoniidae) | Bulletin de la Société royale belge d'Entomologie 152(2):122-127 | http://biblio.naturalsciences.be/associated_publications/societe-royale-belge-dentomologie-koninklijke-belgische-vereniging-voor-entomologie-1/152-2016/thomaes-et-al-bull-srbe-kbve-152-2-2016-122-127.pdf |
| Thomaes, A., Renneson, J.L., Drumont, A. & Deschepper, C. | 2016 | Range shift of <i>Oxythyrea funesta</i> Poda, 1761 in Belgium (Coleoptera, Cetoniidae) | Lambillionea 116(1):13-27 | |
| Tonelli, M., Dellacasa, M. & Zunino, M. | 2016 | Segnalazioni faunistiche italiane. 599. <i>Calamosternus mayeri</i> (Pilleri, 1953) (Coleoptera Aphodiidae) | Bollettino della Società entomologica italiana, Genova 148(1):42-43 | https://archive.org/details/bollettinodellav148sci/page/42/mode/1up |
| Troukens, W. | 2016 | Twee nieuwe bladsprietkevers aan de westrand van Brussel (Coleoptera: Scarabaeoidea) | Phegea 44(2):45-46 | http://www.phegea.org/Phegea/2016/Phegea44-2_45-46.pdf |
| Tsai, C.L. & Yeh, W.B. | 2016 | Subspecific Differentiation Events of Montane Stag Beetles (Coleoptera, Lucanidae) Endemic to Formosa Island | Plos ONE 11(6):1-23 | http://journals.plos.org/plosone/article/asset?id=10.1371%2Fjournal.pone.0156600.PDF |
| Týr, V. | 2016 | Soupis nálezů brouků čeledi Lucanidae (Coleoptera) ze západních Čech | Západočeské entomologické listy 7:15-24 | http://zpcse.cz/entolisty/dokumenty/2016/07-05-Tyr2.pdf |
| Vaz-de-Mello, F.Z. & Nunes, R.V. | 2016 | New species, redescription and taxonomic notes in the <i>Dichotomius</i> (<i>Luederwaldtinia</i>) <i>batesi</i> (Harold) species-group (Coleoptera: Scarabaeidae: Scarabaeinae) | Zootaxa 4139(2):294-300 | |
| Vendl, T. & Šípek, P. | 2016 | Immature stages of giants: morphology and growth characteristics of <i>Goliathus</i> Lamarck, 1801 larvae indicate a predatory way of life (Coleoptera, Scarabaeidae, Cetoniinae) | ZooKeys 619:25-44 | http://zookeys.pensoft.net/articles.php?id=8145 |
| Villalobos-Moreno, A., Pardo-Locarno, L.C., Cabrero-Sañudo, F.J., Ospina-Torres, R. & Gómez-Murillo, I.J. | 2016 | Inventario preliminar de los Escarabajos de la Familia Melolonthidae (Coleoptera: Scarabaeoidea) en un robleal del nororiente de los Andes Colombianos | Boletín de la Sociedad Entomológica Aragonesa 58:159-167 | http://www.sea-socios.com/Boletines/PDF/Boletin58/159-167BSEA58.pdf |
| Villamarin-Cortez, S., Yanez-Coronel, J. & Campoverde, M. | 2016 | Caracterización morfológica de los estadios larvales L2 y L3 de <i>Dynastes hercules occidentalis</i> (Melolonthidae: Dynastinae) | Papéis Avulsos de Zoologia 56(1):1-8 | http://www.revistas.usp.br/paz/article/view/121248/118203 |
| Viñolas, A., Caballero-López, B. & Masó, G. | 2016 | The collection of type specimens belonging to the superfamilies Scarabaeoidea, Buprestoidea, Byrrhoidea, Elateroidea, Cleroidea, Cucujoidea, Tenebrionoidea (except Tenebrionidae family), Chrysomeloidea and Curculionoidea (Coleoptera) hosted in the Natural Sciences Museum of Barcelona, Spain | Arxius de Miscel·lània Zoològica 14:1-90 | http://amz.museucienciasjournals.cat/files/AMZ_vol_14_2016_pp_1-90_Viñolas-et-al.pdf |
| Viviano, R. & Viviano, A. | 2016 | New data on Coleoptera species in Nature Reserve "Torre Salsa" (Sicily, Italy) | Biodiversity Journal 7(4):945-950 | http://www.biodiversityjournal.com/pdf/7(4)_945-950.pdf |
| Vovk, D.V., Sheshurak, P.N., Nazarov, N.V. | 2016 | The scarab beetles (Coleoptera: Scarabaeoidea) of Chernihiv Region (Ukraine) | Ukrainskii Entomologiskoi Zhurnal 5(1-2):91-98 | |
| Wada, K. | 2016 | A new species of the genus <i>Parastasia</i> (Coleoptera, Scarabaeidae) from Luzon Island, the Philippines | Elytra, Tokyo, New Series 6(1):123-125 | http://coleoptera.sakura.ne.jp/ElytraNS/Elytra6-1_0123-0125%20Wada.pdf |
| Wada, K. | 2016 | New record of <i>Parastasia melanocephaloides</i> Ohaus, 1900 (Coleoptera, Scarabaeidae, Rutelinae) from the Malay Peninsula | Kogane, Tokyo 18:48 | |

| | | | | |
|--|------|---|---|---|
| Wada, K. | 2016 | A new species of the genus <i>Parastasia</i> (Coleoptera, Scarabaeidae) from Seram Island, Southeast Asia | Elytra, Tokyo, New Series 6(2):303-306 | http://coleoptera.sakura.ne.jp/ElytraNS/Elytra6-2_303.pdf |
| Walter, P.H. | 2016 | Transfert d' <i>Onthophagus ugandicus</i> Frey, 1975, dans le genre <i>Caccobius</i> Thomson, 1859 (Coleoptera, Scarabaeidae) | Catharsius. La Revue 13(1):15-17 | |
| Wappes, J.E. & Ledezma, J.A. | 2016 | Updated list of Coleoptera holotypes in Museo de Historia Natural, Noel Kempff Mercado, Universidad Autónoma "Gabriel Rene Moreno," Santa Cruz de la Sierra, Bolivia | Insecta Mundi 0497:1-27 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0497_WappesandLedezma_2016.pdf |
| Webster, R.P. | 2016 | Checklist of the Coleoptera of New Brunswick, Canada | ZooKeys 573:387-512 | http://zookeys.pensoft.net/articles.php?id=8022 |
| Webster, R.P., Webster, W.L., Alderson, C.A., Hughes, C.C. & Sweeney, J.D. | 2016 | Further contributions to the Coleoptera fauna of New Brunswick with an addition to the fauna of Nova Scotia, Canada | ZooKeys 573:265-338 | http://zookeys.pensoft.net/articles.php?id=7327 |
| Woolley, C. | 2016 | The first scarabaeid beetle (Coleoptera, Scarabaeidae, Melolonthinae) described from the Mesozoic (Late-Cretaceous) of Africa | African Invertebrates 57(1):53-66 | http://africaninvertebrates.pensoft.net/articles.php?id=8416 |
| Worthington, R.J. & Lago, P.K. | 2016 | Preliminary survey of the Scarabaeoidea (Coleoptera) of Valles Caldera National Preserve (New Mexico, USA) | Entomological News 125(5):333-340 | |
| Yamaya, S. | 2016 | Some new species belonging to Pentodontini (Scarabaeidae, Dynastinae) from Indochina and its adjacent region (I) | Bulletin of the Nagaoka Municipal Science Museum 51:11-18 | |
| Yi, D. | 2016 | Insects of Afrotropical realm - Genus <i>Heliocopris</i> of Tanzania | Insect Korea 6:46-59 | |
| Yusifov, E.F., Ahmadov, B.A. & Narimanova, V.S. | 2016 | Diversity study of scarab beetles belonging to the subfamily cetoniinae spread in the natural region of the greater Caucasus of Azerbaijan | Journal of Entomology and Zoology Studies 4(5):1118-1122 | http://www.entomoljournal.com/archives/2016/vol4issue5/PartO/4-5-85-470.pdf |
| Zaragoza-Ortega, M., Hernández-Cruz, J., Morón, M.A., Valdez-Carrasco, J., Sánchez-Soto, S. & Segura-León, O. | 2016 | Phyllophaga en la Zona Cañera de Morelos, México | Southwestern Entomologist 41(2):453-467 | |
| Zauli, A., Carpaneto, G.M., Chiari, S., Mancini, E., Nyabuga, F.N., De Zan, L.R., Romiti, F., Sabbani, S., Audisio, P.A., Hedenström, E., Bologna, M.A. & Svensson, G.P. | 2016 | Assessing the taxonomic status of <i>Osmoderma cristinae</i> (Coleoptera: Scarabaeidae), endemic to Sicily, by genetic, morphological and pheromonal analyses | Journal of Zoological Systematics and Evolutionary Research 54(3):206-214 | |
| Zhang, Q., Ge, Y., Wu, Y. & Wan, X. | 2016 | Taxonomic notes on some species of <i>Neolucanus</i> Thomson (Coleoptera: Lucanidae) from China | Zoological Systematics 41(2):195-206 | http://www.zootax.com.cn/EN/volumn/volumn_1144.shtml# |
| Ziani, S. | 2016 | Studies on Palaearctic <i>Onthophagus</i> associated with burrows of small mammals. V. A new species of the semicornis group from south-central Iran (Coleoptera: Scarabaeidae: Scarabaeinae: Onthophagini) | Insecta Mundi 0470:1-6 | http://centerforsystematicentomology.org/insectamundi/PDF-download.asp?FileName=0470_Ziani_2016.pdf |
| Zinchenko, V.K. | 2016 | A new species of the genus <i>Bolbelasmus</i> (Coleoptera, Bolboceratidae) from Thailand | Euroasian Entomological Journal 15(4):328-329 | http://www.eco.nsc.ru/EEJ_contents/15/201615406.pdf |